

rteres

Instrument :

FID_E

ClientSampleId :

PB152185BS

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE04182

Data File : FE041407.D

Signal(s) : FID1B.ch

Acq On : 18 Apr 2023 14:06

Sample : PB152185BS

Misc :

ALS Vial : 15 Sample Multiplier: 1

Reviewed By :Yogesh Patel 04/19/2023

Supervised By :Ankita Jodhani 04/19/2023

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 032523.M

Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.258	3.201	3.379	BV	715390	7494000	54.67%	2.826%
2	4.494	4.452	4.511	BV	805348	7676206	56.00%	2.894%
3	4.529	4.511	4.685	VB	795198	8373329	61.09%	3.157%
4	6.188	6.125	6.426	BB	717755	7969081	58.14%	3.005%
5	6.650	6.603	6.771	BB	785009	7951575	58.01%	2.998%
6	7.282	7.252	7.460	VV	642126	7447227	54.33%	2.808%
7	8.476	8.435	8.554	BV	746875	7839144	57.19%	2.956%
8	8.582	8.554	8.787	VB	696925	7753761	56.57%	2.924%
9	8.881	8.836	9.066	BB	757417	8108684	59.16%	3.057%
10	9.672	9.626	9.841	BV	615249	7378035	53.83%	2.782%
11	10.082	10.035	10.183	BB	716543	7938628	57.92%	2.993%
12	11.079	11.026	11.133	BV	613074	6890420	50.27%	2.598%
13	11.157	11.133	11.306	VV	537195	6917743	50.47%	2.608%
14	11.525	11.486	11.631	BB	665204	7754632	56.58%	2.924%
15	11.839	11.788	11.946	BB	596051	6434557	46.94%	2.426%
16	12.836	12.742	12.876	BV	637104	7568702	55.22%	2.854%
17	12.904	12.876	13.081	VV	579684	6873469	50.15%	2.592%
18	13.202	13.163	13.251	BV	569500	6777105	49.44%	2.555%
19	13.280	13.251	13.411	VV	441490	5371152	39.19%	2.025%
20	13.449	13.411	13.525	VB	620058	7174502	52.34%	2.705%
21	14.035	13.947	14.104	BB	578243	7032925	51.31%	2.652%
22	15.092	15.046	15.111	BV	520243	6418871	46.83%	2.420%
23	15.136	15.111	15.305	VV	1020403	13706719	100.00%	5.168%
24	16.164	16.080	16.215	BB	504605	6722370	49.04%	2.535%
25	16.662	16.574	16.677	BV	510412	7127580	52.00%	2.688%
26	16.695	16.677	16.872	VB	578139	7546387	55.06%	2.845%
27	17.046	17.012	17.083	PV	485916	6511089	47.50%	2.455%
28	17.114	17.083	17.261	VB	501746	7001786	51.08%	2.640%
29	18.007	17.928	18.062	PB	495632	6719252	49.02%	2.534%
30	18.432	18.106	18.446	BV	507695	6715912	49.00%	2.532%
31	18.463	18.446	18.633	VB	561340	8092687	59.04%	3.051%
32	18.690	18.641	18.750	BBA	521232	7291072	53.19%	2.749%
33	18.838	18.780	18.909	BB	459046	6468709	47.19%	2.439%
34	19.625	19.561	19.673	BV	431513	6088227	44.42%	2.296%
35	20.365	19.790	20.460	BV	358393	5225597	38.12%	1.970%
36	21.093	21.031	21.141	BV	263652	4491098	32.77%	1.693%

37 21.973 21.709 22.114 BV 175118 4357118 31.79% 1.643%
rteres
Sum of corrected areas: 2652

Aliphatic EPH 032523.M Wed Apr 19 00:23:38 2023

Instrument :

FID_E

ClientSampleId :

PB152185BS

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 04/19/2023
Supervised By :Ankita Jodhani 04/19/2023