

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE041923AL\
 Data File : FE041437.D
 Signal(s) : FID1B.ch
 Acq On : 19 Apr 2023 19:09
 Operator : YP\AJ
 Sample : 02389-18DL 10X
 Misc :
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 FID_E
 ClientSampleId :
 SPB-5WC-23-04-17DL

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 04/20/2023
 Supervised By :Ankita Jodhani 04/20/2023

Integration File: sample.E
 Quant Time: Apr 20 01:59:44 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 032523.M
 Quant Title : GC Extractables
 QLast Update : Sat Mar 25 06:32:15 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S ortho-Terphenyl (SURR)	11.832	355163	1.890 ug/ml
Spiked Amount 50.000		Recovery =	3.78%
12) S 1-chlorooctadecane (S...	13.270	313960	2.182 ug/mlm
Spiked Amount 50.000		Recovery =	4.36%

Target Compounds

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE041923AL\
Data File : FE041437.D
Signal(s) : FID1B.ch
Acq On : 19 Apr 2023 19:09
Operator : YP\AJ
Sample : 02389-18DL 10X
Misc :
ALS Vial : 25 Sample Multiplier: 1


Instrument :
FID_E
ClientSampleId :
SPB-5WC-23-04-17DL


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 04/20/2023
Supervised By :Ankita Jodhani 04/20/2023

Integration File: sample.E
Quant Time: Apr 20 01:59:44 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 032523.
Quant Title : GC Extractables
QLast Update : Sat Mar 25 06:32:15 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18um






#9 ortho-Terphenyl (SURR)

R.T.: 11.832 min
Delta R.T.: -0.033 min
Response: 355163
Conc: 1.89 ug/ml

Instrument :
FID_E
ClientSampleId :
SPB-5WC-23-04-17DL

Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 04/20/2023
Supervised By :Ankita Jodhani 04/20/2023



#12 1-chlorooctadecane (SURR)

R.T.: 13.270 min
Delta R.T.: -0.032 min
Response: 313960
Conc: 2.18 ug/ml m