

rteres

Instrument :

FID_E

ClientSampleId :

PB167712BSD

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 04/24/2025

Supervised By :mohammad ahmed 04/26/2025

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE04232
Data File : FE053500.D
Signal(s) : FID1B.ch
Acq On : 23 Apr 2025 14:47
Sample : PB167712BSD
Misc :
ALS Vial : 13 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 041725.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.227	3.181	3.324	BB	493189	5011645	47.23%	2.502%
2	4.484	4.441	4.501	BV	531695	5248955	49.47%	2.620%
3	4.518	4.501	4.575	VV	564346	5828940	54.93%	2.910%
4	6.193	6.161	6.341	BB	595742	6059171	57.10%	3.025%
5	6.661	6.618	6.751	BB	527616	5391524	50.81%	2.692%
6	7.294	7.258	7.418	PV	525199	5499944	51.83%	2.746%
7	8.498	8.454	8.568	BV	510886	5464774	51.50%	2.728%
8	8.600	8.568	8.718	VB	592600	6018337	56.72%	3.005%
9	8.901	8.871	9.061	VB	590404	6089485	57.39%	3.040%
10	9.693	9.648	9.864	BB	556656	6074385	57.25%	3.033%
11	10.109	10.069	10.236	BB	488597	5402271	50.91%	2.697%
12	11.103	11.023	11.149	BV	509345	5714682	53.86%	2.853%
13	11.180	11.149	11.335	VV	475631	5766831	54.35%	2.879%
14	11.557	11.520	11.636	M 453872	5350285	50.42%	2.671%	
15	11.871	11.829	11.989	BB	517203	6027461	56.80%	3.009%
16	12.871	12.829	12.900	BV	438374	5439380	51.26%	2.716%
17	12.931	12.900	13.089	VV	458314	5574411	52.53%	2.783%
18	13.230	13.189	13.272	BV	454386	5370313	50.61%	2.681%
19	13.316	13.272	13.443	VV	371429	4681980	44.12%	2.337%
20	13.485	13.443	13.623	VB	406862	5205081	49.05%	2.599%
21	14.071	14.029	14.223	BB	399714	5139092	48.43%	2.566%
22	15.117	15.063	15.139	BV	391813	5075099	47.83%	2.534%
23	15.168	15.139	15.376	VB	461371	10611030	100.00%	5.297%
24	16.202	16.003	16.303	BB	363531	4942189	46.58%	2.467%
25	16.683	16.625	16.698	M 342869	4921499	46.38%	2.457%	
26	16.717	16.699	16.831	M 412279	5701702	53.73%	2.846%	
27	17.066	17.009	17.115	BV	320773	4900076	46.18%	2.446%
28	17.153	17.115	17.349	VB	362439	5140227	48.44%	2.566%
29	18.043	18.003	18.163	BB	339059	4806083	45.29%	2.399%
30	18.447	18.385	18.460	M 292917	4268381	40.23%	2.131%	
31	18.483	18.461	18.596	M 322605	6088221	57.38%	3.039%	
32	18.704	18.656	18.823	PBA	307185	5060964	47.70%	2.527%
33	18.875	18.823	19.069	BB	320583	4646937	43.79%	2.320%
34	19.661	19.603	19.789	BB	302758	4682766	44.13%	2.338%
35	20.402	20.356	20.510	BV	274939	4473700	42.16%	2.233%
36	21.137	21.083	21.329	BB	212318	4359859	41.09%	2.177%

37 22.042 21.856 22.316 BB 147538 4269522 40.24% 2.131%
rteres
Sum of corrected areas: 2003

Aliphatic EPH 041725.M Thu Apr 24 02:25:25 2025

Instrument :

FID_E

ClientSampleId :

PB167712BSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 04/24/2025

Supervised By :mohammad ahmed 04/26/2025