

Instrument :

FID_E

ClientSampleId :

PB160477BSD

nteres

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE

Data File : FE047759.D

Signal(s) : FID1B.ch

Acq On : 24 Apr 2024 16:04

Sample : PB160477BSD

Misc :

ALS Vial : 8 Sample Multiplier: 1

Reviewed By :Yogesh Patel 04/25/2024
Supervised By :Ankita Jodhani 04/25/2024

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 040224.M

Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.360	3.317	3.420	BB	505074	4948067	44.54%	2.309%
2	4.610	4.569	4.629	BV	543686	5305138	47.75%	2.476%
3	4.648	4.629	4.711	VB	551580	5397275	48.58%	2.519%
4	6.315	6.273	6.411	BB	594015	5807540	52.28%	2.711%
5	6.775	6.731	6.832	BB	584456	5854169	52.70%	2.732%
6	7.412	7.357	7.522	BB	589795	6013369	54.13%	2.807%
7	8.605	8.559	8.672	BB	613743	6376001	57.39%	2.976%
8	8.716	8.672	8.803	BB	606354	6194829	55.76%	2.891%
9	9.015	8.985	9.116	VB	626717	6220835	56.00%	2.903%
10	9.804	9.755	9.905	BB	560169	6127289	55.15%	2.860%
11	10.211	10.161	10.276	BB	572302	6515122	58.65%	3.041%
12	11.211	11.142	11.256	BV	522212	5705625	51.36%	2.663%
13	11.286	11.256	11.401	VB	504028	5637333	50.74%	2.631%
14	11.655	11.611	11.705	BB	579019	6677220	60.10%	3.116%
15	11.977	11.928	12.031	BB	649441	6890290	62.02%	3.216%
16	12.965	12.916	12.998	BV	574661	6725905	60.54%	3.139%
17	13.032	12.998	13.131	PB	456773	5487528	49.40%	2.561%
18	13.332	13.281	13.369	BV	468060	5520233	49.69%	2.576%
19	13.410	13.369	13.471	VB	469128	5706633	51.37%	2.663%
20	13.576	13.526	13.636	BB	543650	6543582	58.90%	3.054%
21	14.162	14.112	14.217	BB	537538	6502610	58.53%	3.035%
22	15.208	15.158	15.229	BV	324469	4236494	38.13%	1.977%
23	15.259	15.229	15.412	VB	624681	11109416	100.00%	5.185%
24	16.286	16.233	16.346	BB	496562	6380107	57.43%	2.978%
25	16.766	16.700	16.780	BV	281341	3962739	35.67%	1.850%
26	16.797	16.780	16.960	VB	334602	4456222	40.11%	2.080%
27	17.144	17.080	17.199	BV	247645	3446861	31.03%	1.609%
28	17.234	17.199	17.309	VB	486941	6516507	58.66%	3.041%
29	18.123	18.066	18.185	BB	467135	6444362	58.01%	3.008%
30	18.511	18.413	18.530	BV	170384	2422851	21.81%	1.131%
31	18.550	18.530	18.703	VB	152748	2822750	25.41%	1.317%

rteres						
32	18.768	18.711	18.900	BBA	189900	3045619 27.41% 1.421%
33	18.953	18.901	19.036	BB	444830	642545
34	19.738	19.691	19.806	BB	460402	663231
35	20.476	20.421	20.561	BB	449587	667446
36	21.221	21.161	21.280	BBA	358529	679425
37	22.149	22.071	22.276	BB	275262	6731407 60.59% 3.142%
Sum of corrected areas:						214258413

Instrument :
FID_E
ClientSampleId :
PB160477BSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 04/25/2024
Supervised By :Ankita Jodhani 04/25/2024

Aliphatic EPH 040224.M Thu Apr 25 04:48:18 2024