

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE042623AL\
 Data File : FE041553.D
 Signal(s) : FID1B.ch
 Acq On : 26 Apr 2023 17:47
 Operator : YP\AJ
 Sample : 02491-01D
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 FID_E
 ClientSampleId :

Integration File: autoint1.e
 Quant Time: Apr 27 02:03:18 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 042123.M
 Quant Title : GC Extractables
 QLast Update : Fri Apr 21 07:33:51 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S ortho-Terphenyl (SURR)	11.981	4969907	26.491 ug/ml
Spiked Amount 50.000		Recovery =	52.98%
12) S 1-chlorooctadecane (S...	13.417	3940757	27.895 ug/ml
Spiked Amount 50.000		Recovery =	55.79%
Target Compounds			
3) T A~Naphthalene (C11.7)	6.315	19314	0.117 ug/ml
10) T n-Eicosane (C20)	13.029f	37868	0.235 ug/ml
11) T n-Heneicosane (C21)	13.590	34612	0.217 ug/ml
14) T n-Tetracosane (C24)	15.271	43677	0.271 ug/ml
15) T n-Hexacosane (C26)	16.293	57597	0.364 ug/ml
16) T n-Octacosane (C28)	17.243	81106	0.527 ug/ml
17) T n-Tricontane (C30)	18.131	68616	0.451 ug/ml
18) T n-Dotriacontane (C32)	18.962	70510	0.473 ug/ml
19) T n-Tetratriacontane (C34)	19.748	25348	0.180 ug/ml
20) T n-Hexatriacontane (C36)	20.490	37869	0.283 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE042623AL\
Data File : FE041553.D
Signal(s) : FID1B.ch
Acq On : 26 Apr 2023 17:47
Operator : YP\AJ
Sample : 02491-01D
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
FID_E
ClientSampleId :

Integration File: autoint1.e
Quant Time: Apr 27 02:03:18 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 042123.M
Quant Title : GC Extractables
QLast Update : Fri Apr 21 07:33:51 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18um






#3 A~Naphthalene (C11.7)


R.T.: 6.315 min
Delta R.T.: 0.007 min
Response: 19314
Conc: 0.12 ug/ml

Instrument :
FID_E
ClientSampleId :




#9 ortho-Terphenyl (SURR)

R.T.: 11.981 min
Delta R.T.: 0.009 min
Response: 4969907
Conc: 26.49 ug/ml




#10 n-Eicosane (C20)

R.T.: 13.029 min
Delta R.T.: 0.065 min
Response: 37868
Conc: 0.24 ug/ml



#11 n-Heneicosane (C21)


R.T.: 13.590 min
Delta R.T.: 0.014 min
Response: 34612
Conc: 0.22 ug/ml



#12 1-chlorooctadecane (SURR)


R.T.: 13.417 min
Delta R.T.: 0.009 min
Response: 3940757
Conc: 27.90 ug/ml

Instrument :
FID_E
ClientSampleId :




#14 n-Tetracosane (C24)

R.T.: 15.271 min
Delta R.T.: 0.006 min
Response: 43677
Conc: 0.27 ug/ml




#15 n-Hexacosane (C26)

R.T.: 16.293 min
Delta R.T.: 0.008 min
Response: 57597
Conc: 0.36 ug/ml



#16 n-Octacosane (C28)


R.T.: 17.243 min
Delta R.T.: 0.009 min
Response: 81106
Conc: 0.53 ug/ml



#17 n-Tricontane (C30)


R.T.: 18.131 min
Delta R.T.: 0.010 min
Response: 68616
Conc: 0.45 ug/ml

Instrument :
FID_E
ClientSampleId :




#18 n-Dotriacontane (C32)

R.T.: 18.962 min
Delta R.T.: 0.010 min
Response: 70510
Conc: 0.47 ug/ml



#19 n-Tetratriacontane (C34)

R.T.: 19.748 min
Delta R.T.: 0.012 min
Response: 25348
Conc: 0.18 ug/ml



#20 n-Hexatriacontane (C36)

R.T.: 20.490 min
Delta R.T.: 0.013 min
Response: 37869
Conc: 0.28 ug/ml