

rteres

Instrument :

FID_E

ClientSampleId :

PB167797BSD

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 05/01/2025

Supervised By :mohammad ahmed 05/02/2025

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE04302
Data File : FE053586.D
Signal(s) : FID1B.ch
Acq On : 30 Apr 2025 14:42
Sample : PB167797BSD
Misc :
ALS Vial : 13 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 041725.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.223	3.154	3.338	BB	470987	4765877	40.65%	2.275%
2	4.480	4.418	4.497	BV	501577	4946867	42.19%	2.362%
3	4.514	4.497	4.571	VV	543855	5541404	47.26%	2.646%
4	6.189	6.118	6.341	BB	560804	5811569	49.57%	2.774%
5	6.657	6.591	6.748	BB	501072	5176392	44.15%	2.471%
6	7.290	7.254	7.414	PV	507612	5380993	45.89%	2.569%
7	8.494	8.414	8.564	BV	521525	5551707	47.35%	2.650%
8	8.596	8.564	8.721	VB	586630	6153517	52.48%	2.938%
9	8.897	8.868	9.024	VB	608280	6269717	53.47%	2.993%
10	9.690	9.601	9.824	BV	589916	6443855	54.96%	3.076%
11	10.106	10.024	10.188	BB	518535	5834728	49.76%	2.786%
12	11.101	10.998	11.148	BV	567337	6240792	53.23%	2.979%
13	11.178	11.148	11.338	VV	524311	6290223	53.65%	3.003%
14	11.554	11.531	11.641	BB	498679	5520721	47.09%	2.636%
15	11.868	11.784	11.954	BB	551088	6256793	53.36%	2.987%
16	12.868	12.771	12.897	BV	485797	6037125	51.49%	2.882%
17	12.929	12.897	13.061	VB	519339	6125082	52.24%	2.924%
18	13.228	13.158	13.268	BV	504791	5910448	50.41%	2.822%
19	13.313	13.268	13.414	VB	391997	4922311	41.98%	2.350%
20	13.481	13.414	13.564	BB	469838	5747641	49.02%	2.744%
21	14.069	13.984	14.148	BB	467795	5698329	48.60%	2.720%
22	15.116	15.024	15.137	BV	426071	5624155	47.97%	2.685%
23	15.165	15.137	15.361	VB	604981	11724833	100.00%	5.598%
24	16.199	16.134	16.278	BB	396832	5490623	46.83%	2.621%
25	16.683	16.584	16.698	BV	380745	5530407	47.17%	2.640%
26	16.716	16.698	16.911	VB	468818	6336954	54.05%	3.025%
27	17.065	16.981	17.113	BV	379264	5472527	46.67%	2.613%
28	17.150	17.113	17.304	VB	383291	5705227	48.66%	2.724%
29	18.041	18.001	18.138	BB	372898	5336766	45.52%	2.548%
30	18.449	18.351	18.464	BV	349259	5306942	45.26%	2.534%
31	18.482	18.464	18.661	VV	370398	6743467	57.51%	3.219%
32	18.706	18.661	18.821	VBA	365653	5962753	50.86%	2.847%
33	18.873	18.821	19.008	BB	343864	5071097	43.25%	2.421%
34	19.659	19.601	19.821	BB	277185	4643364	39.60%	2.217%
35	20.401	20.351	20.518	BV	217055	3805659	32.46%	1.817%
36	21.134	21.081	21.321	BB	140770	3264649	27.84%	1.559%

37 22.038 21.908 22.258 BB 86661 2818939 24.04% 1.346%
rteres
Sum of corrected areas: 2094

Aliphatic EPH 041725.M Thu May 01 02:39:03 2025

Instrument :

FID_E

ClientSampleId :

PB167797BSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 05/01/2025

Supervised By :mohammad ahmed 05/02/2025