

Instrument :

FID_E

ClientSampleId :

PB167876BS

rteres

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE05062

Data File : FE053666.D

Signal(s) : FID1B.ch

Acq On : 06 May 2025 13:31

Sample : PB167876BS

Misc :

ALS Vial : 7 Sample Multiplier: 1

Reviewed By :Yogesh Patel 05/07/2025

Supervised By :mohammad ahmed 05/08/2025

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 041725.M

Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.217	3.155	3.331	BB	530460	5350791	43.97%	2.355%
2	4.476	4.405	4.492	BV	580633	5663911	46.54%	2.493%
3	4.509	4.492	4.567	VV	608675	6348437	52.17%	2.794%
4	6.185	6.108	6.348	BB	655601	6664498	54.76%	2.933%
5	6.653	6.571	6.741	BB	580112	5904840	48.52%	2.599%
6	7.287	7.248	7.405	PV	577276	6085395	50.01%	2.678%
7	8.490	8.411	8.561	BV	564417	6080148	49.96%	2.676%
8	8.593	8.561	8.735	VB	647211	6763009	55.57%	2.977%
9	8.894	8.861	9.031	VB	641252	6815735	56.01%	3.000%
10	9.686	9.601	9.821	BV	616651	6813491	55.99%	2.999%
11	10.102	10.005	10.181	BB	533132	6063649	49.83%	2.669%
12	11.097	10.995	11.142	BV	584061	6504985	53.45%	2.863%
13	11.175	11.142	11.328	VV	552459	6555411	53.87%	2.885%
14	11.550	11.501	11.638	BB	520713	6096957	50.10%	2.684%
15	11.865	11.778	11.955	BB	567732	6375047	52.39%	2.806%
16	12.864	12.785	12.893	BV	513437	6275332	51.57%	2.762%
17	12.925	12.893	13.058	VB	539590	6379575	52.42%	2.808%
18	13.224	13.158	13.265	BV	528957	6164962	50.66%	2.714%
19	13.309	13.265	13.408	VB	406275	5027826	41.32%	2.213%
20	13.477	13.411	13.551	BB	488582	5996397	49.27%	2.639%
21	14.065	13.981	14.148	BB	476419	5963101	49.00%	2.625%
22	15.112	15.021	15.133	BV	444155	5868767	48.23%	2.583%
23	15.160	15.133	15.338	VB	664599	12169419	100.00%	5.356%
24	16.196	16.131	16.275	BB	427483	5774558	47.45%	2.542%
25	16.679	16.581	16.695	BV	402891	5847040	48.05%	2.574%
26	16.713	16.695	16.891	VB	502143	6481185	53.26%	2.853%
27	17.063	16.985	17.111	BV	414786	5766725	47.39%	2.538%
28	17.146	17.111	17.298	VB	408105	5925839	48.69%	2.608%
29	18.036	18.001	18.148	BB	396681	5565919	45.74%	2.450%
30	18.447	18.384	18.461	M	387554	5704051	46.87%	2.511%
31	18.480	18.461	18.582	M	396056	6609909	54.32%	2.909%
32	18.703	18.653	18.821	VBA	408317	6422013	52.77%	2.827%
33	18.868	18.821	19.015	BB	364509	5417456	44.52%	2.385%
34	19.654	19.601	19.828	BB	332985	5321872	43.73%	2.342%
35	20.396	20.351	20.508	BV	277751	4855801	39.90%	2.137%
36	21.130	21.081	21.341	BB	213788	4818703	39.60%	2.121%

37 22.033 21.901 22.308 BB 145801 4751697 39.05% 2.091%
rteres
Sum of corrected areas: 2275

Aliphatic EPH 041725.M Wed May 07 05:27:32 2025

Instrument :

FID_E

ClientSampleId :

PB167876BS

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 05/07/2025

Supervised By :mohammad ahmed 05/08/2025