

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE050823AL\
 Data File : FE041790.D
 Signal(s) : FID1B.ch
 Acq On : 08 May 2023 17:02
 Operator : YP\AJ
 Sample : 02652-03
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 FID_E
 ClientSampleId :
 CLAY-LINER-EPH-2

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 05/09/2023
 Supervised By :Ankita Jodhani 05/09/2023

Integration File: autoint1.e
 Quant Time: May 09 01:41:24 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 042123.M
 Quant Title : GC Extractables
 QLast Update : Fri Apr 21 07:33:51 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S ortho-Terphenyl (SURR)	11.979	4332597	23.094 ug/mlm
Spiked Amount	50.000	Recovery	= 46.19%
12) S 1-chlorooctadecane (S...	13.416	3516641	24.893 ug/mlm
Spiked Amount	50.000	Recovery	= 49.79%

Target Compounds

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE050823AL\
Data File : FE041790.D
Signal(s) : FID1B.ch
Acq On : 08 May 2023 17:02
Operator : YP\AJ
Sample : 02652-03
Misc :
ALS Vial : 18 Sample Multiplier: 1


Instrument :
FID_E
ClientSampleId :
CLAY-LINER-EPH-2


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 05/09/2023
Supervised By :Ankita Jodhani 05/09/2023

Integration File: autoint1.e
Quant Time: May 09 01:41:24 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 042123.
Quant Title : GC Extractables
QLast Update : Fri Apr 21 07:33:51 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18um






#9 ortho-Terphenyl (SURR)

R.T.: 11.979 min
Delta R.T.: 0.008 min
Response: 4332597
Conc: 23.09 ug/ml

Instrument :
FID_E
ClientSampleId :
CLAY-LINER-EPH-2

Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 05/09/2023
Supervised By :Ankita Jodhani 05/09/2023



#12 1-chlorooctadecane (SURR)

R.T.: 13.416 min
Delta R.T.: 0.008 min
Response: 3516641
Conc: 24.89 ug/ml m