

rteres

Instrument :

FID_E

ClientSampleId :

PB167906BS

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 05/09/2025

Supervised By :mohammad ahmed 05/12/2025

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE05082
Data File : FE053729.D
Signal(s) : FID1B.ch
Acq On : 09 May 2025 01:33
Sample : PB167906BS
Misc :
ALS Vial : 22 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 041725.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.217	3.148	3.341	BB	606869	6177959	47.20%	2.469%
2	4.474	4.394	4.490	BV	652901	6472017	49.45%	2.587%
3	4.507	4.490	4.565	VV	699448	7237071	55.29%	2.893%
4	6.182	6.101	6.341	BB	712465	7490540	57.23%	2.994%
5	6.650	6.568	6.754	BB	645042	6683362	51.06%	2.671%
6	7.283	7.244	7.404	PV	623758	6788287	51.86%	2.713%
7	8.486	8.401	8.558	BV	641864	6800816	51.96%	2.718%
8	8.589	8.558	8.734	VB	711877	7445029	56.88%	2.976%
9	8.890	8.861	9.044	VB	719029	7503912	57.33%	2.999%
10	9.682	9.584	9.854	BV	645193	7450832	56.93%	2.978%
11	10.098	10.021	10.218	BB	596874	6703985	51.22%	2.680%
12	11.092	11.004	11.141	BV	620027	6947906	53.08%	2.777%
13	11.169	11.141	11.331	VV	579029	6965548	53.22%	2.784%
14	11.546	11.501	11.664	BB	560961	6642375	50.75%	2.655%
15	11.860	11.731	11.984	BB	582635	6486026	49.55%	2.592%
16	12.860	12.748	12.889	BV	559581	6734472	51.45%	2.692%
17	12.920	12.889	13.071	VB	570018	6789532	51.87%	2.714%
18	13.220	13.168	13.262	BV	568682	6575491	50.24%	2.628%
19	13.304	13.262	13.434	VB	418143	5149196	39.34%	2.058%
20	13.472	13.438	13.596	BB	489720	6412536	48.99%	2.563%
21	14.060	13.872	14.203	VB	495103	6353635	48.54%	2.539%
22	15.108	15.009	15.129	BV	484549	6374589	48.70%	2.548%
23	15.157	15.129	15.436	VB	698475	13088774	100.00%	5.231%
24	16.190	15.929	16.303	BB	452647	6128994	46.83%	2.450%
25	16.675	16.598	16.691	M	440010	6527246	49.87%	2.609%
26	16.709	16.691	16.801	M	524756	6849616	52.33%	2.738%
27	17.057	16.996	17.102	BV	448445	6373245	48.69%	2.547%
28	17.140	17.102	17.336	VB	431709	6383165	48.77%	2.551%
29	18.031	18.003	18.143	BB	412081	5664131	43.27%	2.264%
30	18.442	18.379	18.457	M	452749	6930959	52.95%	2.770%
31	18.476	18.458	18.572	M	461006	7140456	54.55%	2.854%
32	18.698	18.647	18.823	VBA	433941	7244908	55.35%	2.896%
33	18.862	18.823	19.036	BB	402668	5968662	45.60%	2.386%
34	19.647	19.603	19.823	BB	403142	6067302	46.36%	2.425%
35	20.389	20.325	20.496	M	349416	5842981	44.64%	2.335%
36	21.121	21.083	21.343	BB	294695	5673344	43.35%	2.268%

37 22.022 21.856 22.323 BB 220589 6125177 46.80% 2.448%
rteres
Sum of corrected areas: 250

Aliphatic EPH 041725.M Fri May 09 08:01:26 2025

Instrument :

FID_E

ClientSampleId :

PB167906BS

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 05/09/2025

Supervised By :mohammad ahmed 05/12/2025