

rteres

Instrument :

FID_E

ClientSampleId :

PB167906BSD

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 05/09/2025

Supervised By :mohammad ahmed 05/12/2025

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE05082
Data File : FE053730.D
Signal(s) : FID1B.ch
Acq On : 09 May 2025 02:03
Sample : PB167906BSD
Misc :
ALS Vial : 23 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 041725.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.216	3.154	3.328	BB	588792	6046782	47.68%	2.471%
2	4.474	4.404	4.490	BV	645796	6299079	49.67%	2.574%
3	4.507	4.490	4.565	VV	674287	7049920	55.59%	2.881%
4	6.182	6.111	6.341	BB	691837	7283321	57.43%	2.976%
5	6.650	6.571	6.764	BB	626780	6486145	51.14%	2.651%
6	7.283	7.248	7.407	PV	615698	6593885	51.99%	2.695%
7	8.487	8.418	8.558	BV	625197	6597779	52.02%	2.696%
8	8.589	8.558	8.738	VB	680278	7248335	57.15%	2.962%
9	8.890	8.861	9.041	VB	688498	7304904	57.60%	2.985%
10	9.682	9.598	9.821	BV	645356	7210895	56.85%	2.947%
11	10.098	10.054	10.181	BB	574564	6509775	51.33%	2.660%
12	11.093	10.994	11.141	BV	618859	6793799	53.57%	2.776%
13	11.170	11.141	11.324	VV	560966	6821843	53.79%	2.788%
14	11.546	11.501	11.648	BB	552550	6457040	50.91%	2.639%
15	11.860	11.764	11.968	BB	582207	6335786	49.95%	2.589%
16	12.860	12.768	12.889	BV	564053	6567188	51.78%	2.684%
17	12.921	12.889	13.071	VB	558483	6646059	52.40%	2.716%
18	13.220	13.168	13.263	BV	550175	6428086	50.68%	2.627%
19	13.304	13.263	13.431	VB	411351	5021954	39.60%	2.052%
20	13.473	13.438	13.581	BB	520685	6255728	49.32%	2.556%
21	14.060	13.964	14.171	BB	487749	6188846	48.80%	2.529%
22	15.108	14.988	15.129	BV	478049	6204366	48.92%	2.535%
23	15.157	15.129	15.328	VB	665202	12683124	100.00%	5.183%
24	16.191	15.961	16.284	BB	449224	5997122	47.28%	2.451%
25	16.674	16.568	16.691	BV	443542	6277676	49.50%	2.565%
26	16.708	16.691	16.884	VB	522671	6941207	54.73%	2.836%
27	17.058	16.981	17.103	BV	448777	6225039	49.08%	2.544%
28	17.141	17.103	17.294	VB	442417	6196941	48.86%	2.532%
29	18.031	18.001	18.141	BB	408075	5747566	45.32%	2.349%
30	18.442	18.321	18.458	BV	430801	6677217	52.65%	2.729%
31	18.475	18.458	18.654	VV	454825	7409032	58.42%	3.028%
32	18.699	18.654	18.821	VBA	442855	7073536	55.77%	2.891%
33	18.864	18.821	18.994	BB	392057	5829071	45.96%	2.382%
34	19.649	19.601	19.814	BB	377395	5911180	46.61%	2.416%
35	20.389	20.351	20.499	BV	353541	5783311	45.60%	2.363%
36	21.122	21.081	21.288	BB	292147	5683135	44.81%	2.322%

37 22.023 21.878 22.271 BB 213632 5924226 46.71% 2.421%
rteres
Sum of corrected areas: 2447

Aliphatic EPH 041725.M Fri May 09 08:02:03 2025

Instrument :

FID_E

ClientSampleId :

PB167906BSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 05/09/2025

Supervised By :mohammad ahmed 05/12/2025