

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE051120\
Data File : FE031973.D
Signal(s) : FID1B.CH
Acq On : 11 May 2020 17:10
Sample : L2182-07
Misc : LOD-2.5 PPM-WATER
ALS Vial : 11 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\FE050720.M
Title :

Signal : FID1B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.133	4.109	4.183	M	23357	311477	4.73%	2.884%
2	6.190	6.140	6.283	M	6744	244580	3.71%	2.265%
3	7.965	7.891	8.100	M	13174	430858	6.54%	3.989%
4	9.548	9.506	9.600	BB	15644	339935	5.16%	3.147%
5	10.980	10.938	11.031	BB	19318	389243	5.91%	3.604%
6	12.280	12.236	12.341	BB	22971	443822	6.74%	4.109%
7	13.465	13.426	13.509	BB	33278	474742	7.21%	4.396%
8	14.358	14.309	14.429	BB	453830	6588006	100.00%	60.997%
9	14.569	14.548	14.623	VB	27885	586522	8.90%	5.430%
10	15.587	15.543	15.634	BB	26673	454736	6.90%	4.210%
11	16.534	16.488	16.586	BB	33408	536693	8.15%	4.969%
Sum of corrected areas:						10800612		

FE050720.M Tue May 12 15:27:39 2020

Instrument :
FID_E
ClientSampleId :
LOD-MDL-WATER-01-QT2-2020

Manual Integrations
APPROVED

Sohil
5/12/2020 4:36:16 PM