

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE051319\
 Data File : FE030071.D
 Signal(s) : FID1B.CH
 Acq On : 13 May 2019 19:13
 Operator : AJ\SJ
 Sample : 4400 PPM TRPH STD
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Integration File: autoint1.e
 Quant Time: May 14 01:33:04 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\C44-FE051319.M
 Quant Title :
 QLast Update : Mon May 13 14:50:12 2019
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20m x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
13) S TETRACOSANE-d50 (SURR...	14.629	9482528	50.934 ug/ml
Target Compounds			
1) N-OCTANE	2.381	73510151	410.504 ug/ml
2) N-NONANE	3.355	74882041	412.657 ug/ml
3) N-DECANE	4.414	114445597	411.855 ug/ml
4) N-UNDECANE	5.445	115331336	617.358 ug/ml
5) N-DODECANE	6.427	114948713	616.728 ug/ml
6) N-TETRADECANE	8.227	115975610	615.966 ug/ml
7) N-HEXADECANE	9.825	96461108	512.252 ug/ml
8) N-OCTADECANE	11.249	47883646	255.804 ug/ml
9) N-EICOSANE	12.539	19044675	102.233 ug/ml
10) N-TETRACOSANE	14.847	18691752	101.614 ug/ml
11) N-OCTACOSANE	16.809	9122016	50.655 ug/ml
12) N-DOTRIACONTANE	18.532	8592960	50.339 ug/ml
14) N-HEXATRIACONTANE	20.058	7602287	51.260 ug/ml
15) N-TETRACONTANE	21.667	6631119	49.480 ug/ml
16) N-TETRTETRACOOCTANE	24.323	5812152	49.790 ug/ml

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE051319\
Data File : FE030071.D
Signal(s) : FID1B.CH
Acq On : 13 May 2019 19:13
Operator : AJ\SJ
Sample : 4400 PPM TRPH STD
Misc :
ALS Vial : 3 Sample Multiplier: 1

Integration File: autoint1.e
Quant Time: May 14 01:33:04 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\C44-FE051319.M
Quant Title :
QLast Update : Mon May 13 14:50:12 2019
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20m x 0.18mm x 0.18um

