

rteres

Area Percent Report

Instrument :
FID_E
ClientSampleId :
LOD-MDL-WATER-01-QT2-2020

Manual Integrations
APPROVED

Sohil
5/15/2020 11:45:41 AM

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE051320\
Data File : FE032007.D
Signal(s) : FID1B.CH
Acq On : 13 May 2020 14:14
Sample : L2182-07
Misc : LOD-2.5 PPM-WATER
ALS Vial : 8 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\FE050720.M
Title :

Signal : FID1B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.131	4.102	4.186	M	53949	710909	10.27%	4.420%
2	6.178	6.121	6.238	M	21321	689797	9.96%	4.289%
3	7.953	7.894	8.003	M	25476	832181	12.02%	5.174%
4	9.517	9.485	9.587	M	32983	922078	13.32%	5.733%
5	10.954	10.913	11.027	BB	39996	921296	13.31%	5.728%
6	12.263	12.223	12.326	BB	45116	909761	13.14%	5.656%
7	13.458	13.417	13.517	BB	63336	983418	14.20%	6.114%
8	14.355	14.305	14.425	BB	481285	6923456	100.00%	43.046%
9	14.558	14.539	14.635	VB	62465	1218162	17.59%	7.574%
10	15.578	15.535	15.634	BB	58330	941982	13.61%	5.857%
11	16.526	16.474	16.581	BB	67898	1030769	14.89%	6.409%
Sum of corrected areas:						16083810		

FE050720.M Thu May 14 16:19:04 2020