

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE051419\
 Data File : FE030079.D
 Signal(s) : FID1B.CH
 Acq On : 14 May 2019 14:01
 Operator : AJ\SJ
 Sample : 4400 PPM TRPH STD
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Integration File: autoint1.e
 Quant Time: May 15 00:44:52 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\C44-FE051319.M
 Quant Title :
 QLast Update : Mon May 13 14:50:12 2019
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20m x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
13) S TETRACOSANE-d50 (SURR...	14.627	9629168	51.722 ug/ml
Target Compounds			
1) N-OCTANE	2.377	73455418	410.198 ug/ml
2) N-NONANE	3.352	75607053	416.652 ug/ml
3) N-DECANE	4.412	116156511	418.012 ug/ml
4) N-UNDECANE	5.442	117162612	627.161 ug/ml
5) N-DODECANE	6.425	116940560	627.414 ug/ml
6) N-TETRADECANE	8.225	118159102	627.563 ug/ml
7) N-HEXADECANE	9.823	98442344	522.773 ug/ml
8) N-OCTADECANE	11.246	48899419	261.231 ug/ml
9) N-EICOSANE	12.537	19450354	104.411 ug/ml
10) N-TETRACOSANE	14.844	19070632	103.673 ug/ml
11) N-OCTACOSANE	16.805	9303475	51.663 ug/ml
12) N-DOTRIACONTANE	18.528	8760971	51.324 ug/ml
14) N-HEXATRIACONTANE	20.053	7781145	52.466 ug/ml
15) N-TETRACONTANE	21.659	6747426	50.347 ug/ml
16) N-TETRTETRACOOCTANE	24.309	5743979	49.206 ug/ml

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE051419\
Data File : FE030079.D
Signal(s) : FID1B.CH
Acq On : 14 May 2019 14:01
Operator : AJ\SJ
Sample : 4400 PPM TRPH STD
Misc :
ALS Vial : 3 Sample Multiplier: 1

Integration File: autoint1.e
Quant Time: May 15 00:44:52 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\C44-FE051319.M
Quant Title :
QLast Update : Mon May 13 14:50:12 2019
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20m x 0.18mm x 0.18um

