

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE051719\
 Data File : FE030101.D
 Signal(s) : FID1B.CH
 Acq On : 17 May 2019 19:04
 Operator : AJ\SJ
 Sample : 4400 PPM TRPH STD
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Integration File: autoint1.e
 Quant Time: May 18 03:34:57 2019
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\C44-FE051319.M
 Quant Title :
 QLast Update : Mon May 13 14:50:12 2019
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20m x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
13) S TETRACOSANE-d50 (SURR...	14.620	9727595	52.250 ug/ml
Target Compounds			
1) N-OCTANE	2.373	74909176	418.316 ug/ml
2) N-NONANE	3.348	77623516	427.765 ug/ml
3) N-DECANE	4.409	119490332	430.009 ug/ml
4) N-UNDECANE	5.438	120438396	644.696 ug/ml
5) N-DODECANE	6.422	119991599	643.784 ug/ml
6) N-TETRADECANE	8.221	120881495	642.022 ug/ml
7) N-HEXADECANE	9.818	100351721	532.913 ug/ml
8) N-OCTADECANE	11.240	49667245	265.333 ug/ml
9) N-EICOSANE	12.531	19689207	105.693 ug/ml
10) N-TETRACOSANE	14.836	19160987	104.165 ug/ml
11) N-OCTACOSANE	16.798	9345493	51.896 ug/ml
12) N-DOTRIACONTANE	18.520	8938030	52.361 ug/ml
14) N-HEXATRIACONTANE	20.046	7942596	53.554 ug/ml
15) N-TETRACONTANE	21.649	7241246	54.032 ug/ml
16) N-TETRATETRAOCTANE	24.294	6850940	58.689 ug/ml

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE051719\
Data File : FE030101.D
Signal(s) : FID1B.CH
Acq On : 17 May 2019 19:04
Operator : AJ\SJ
Sample : 4400 PPM TRPH STD
Misc :
ALS Vial : 3 Sample Multiplier: 1

Integration File: autoint1.e
Quant Time: May 18 03:34:57 2019
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\C44-FE051319.M
Quant Title :
QLast Update : Mon May 13 14:50:12 2019
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20m x 0.18mm x 0.18um

