

rteres

Instrument :  
FID\_E  
LabSampleId :  
50 PPM TRPH STD  
Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 05/23/2022  
Supervised By :Ankita Jodhani 05/23/2022

Data Path : Z:\pestpcbsrv\HPCHEM1\FID\_E\Data\FE05192  
Data File : FE035750.D  
Signal(s) : FID1B.CH  
Acq On : 19 May 2022 18:24  
Sample : 50 PPM TRPH STD  
Misc :  
ALS Vial : 3 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID\_E\methods\FE051322.M  
Title :

Signal : FID1B.CH

| peak<br>#               | R.T.<br>min | Start<br>min | End<br>min | PK<br>TY | peak<br>height | peak<br>area | peak<br>% max. | % of<br>total |
|-------------------------|-------------|--------------|------------|----------|----------------|--------------|----------------|---------------|
| 1                       | 3.823       | 3.794        | 3.858      | BV       | 694076         | 6471682      | 99.59%         | 9.618%        |
| 2                       | 5.817       | 5.788        | 5.863      | BB       | 650888         | 6453094      | 99.30%         | 9.590%        |
| 3                       | 7.607       | 7.573        | 7.639      | BV       | 628373         | 6498608      | 100.00%        | 9.658%        |
| 4                       | 9.204       | 9.169        | 9.245      | BV       | 597344         | 6470437      | 99.57%         | 9.616%        |
| 5                       | 10.642      | 10.592       | 10.679     | BV       | 556534         | 6451217      | 99.27%         | 9.588%        |
| 6                       | 11.949      | 11.913       | 12.000     | BB       | 522097         | 6246361      | 96.12%         | 9.283%        |
| 7                       | 13.145      | 13.104       | 13.188     | BB       | 490360         | 6098780      | 93.85%         | 9.064%        |
| 8                       | 14.042      | 13.995       | 14.074     | BV       | 380194         | 5183549      | 79.76%         | 7.704%        |
| 9                       | 14.246      | 14.180       | 14.294     | BB       | 456140         | 5936263      | 91.35%         | 8.822%        |
| 10                      | 15.264      | 15.214       | 15.304     | BB       | 438245         | 5788611      | 89.07%         | 8.603%        |
| 11                      | 16.213      | 16.161       | 16.252     | BB       | 422539         | 5688965      | 87.54%         | 8.455%        |
| Sum of corrected areas: |             |              |            |          |                | 67287567     |                |               |

FE051322.M Fri May 20 12:30:44 2022