

rteres

Instrument :

FID_E

ClientSampleId :

PB168138BSD

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 05/27/2025

Supervised By :mohammad ahmed 05/29/2025

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE05232
Data File : FE054000.D
Signal(s) : FID1B.ch
Acq On : 23 May 2025 15:19
Sample : PB168138BSD
Misc :
ALS Vial : 14 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 051425.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.200	3.141	3.321	BB	467480	4857087	46.31%	2.400%
2	4.458	4.388	4.475	BV	506307	4952609	47.22%	2.447%
3	4.492	4.475	4.553	VV	542201	5633417	53.71%	2.783%
4	6.167	6.088	6.361	BB	524567	5874986	56.01%	2.902%
5	6.636	6.564	6.748	BB	496013	5212891	49.70%	2.575%
6	7.269	7.233	7.394	PV	466783	5364782	51.15%	2.650%
7	8.471	8.404	8.538	BV	489197	5236763	49.93%	2.587%
8	8.573	8.538	8.744	VB	539486	5939214	56.62%	2.934%
9	8.874	8.844	9.058	VB	548521	6022825	57.42%	2.976%
10	9.667	9.571	9.841	BV	489320	5843472	55.71%	2.887%
11	10.082	9.976	10.229	BB	478354	5297236	50.50%	2.617%
12	11.077	11.003	11.121	BV	459762	5499574	52.43%	2.717%
13	11.155	11.121	11.403	VB	417309	5684307	54.19%	2.808%
14	11.530	11.503	11.676	BB	433260	5122336	48.84%	2.531%
15	11.843	11.716	11.969	BB	551406	6317583	60.23%	3.121%
16	12.843	12.723	12.873	BV	448954	5347762	50.99%	2.642%
17	12.904	12.873	13.069	VV	437654	5411570	51.59%	2.674%
18	13.203	13.156	13.250	BV	416812	5287874	50.41%	2.612%
19	13.288	13.250	13.416	VV	415365	5130807	48.92%	2.535%
20	13.456	13.416	13.603	VB	409731	5140511	49.01%	2.540%
21	14.043	13.929	14.189	BB	388139	5051384	48.16%	2.496%
22	15.093	15.051	15.113	M	401191	4994757	47.62%	2.468%
23	15.140	15.114	15.262	M	567410	10488725	100.00%	5.182%
24	16.173	16.103	16.289	BB	363028	4868125	46.41%	2.405%
25	16.661	16.620	16.676	M	384626	5258235	50.13%	2.598%
26	16.694	16.676	16.788	M	437448	5779467	55.10%	2.855%
27	17.045	17.007	17.092	M	372036	5302874	50.56%	2.620%
28	17.124	17.093	17.200	M	347937	4961967	47.31%	2.451%
29	18.014	17.949	18.156	BV	335913	4783472	45.61%	2.363%
30	18.430	18.372	18.445	M	366349	5346657	50.98%	2.641%
31	18.461	18.446	18.566	M	394530	6464384	61.63%	3.194%
32	18.685	18.643	18.803	PBA	316767	5642363	53.79%	2.788%
33	18.846	18.803	19.029	BB	314178	4649395	44.33%	2.297%
34	19.631	19.596	19.702	BV	310224	4734021	45.13%	2.339%
35	20.373	20.323	20.479	BV	296231	4873152	46.46%	2.408%
36	21.103	21.043	21.296	BB	255477	5028826	47.95%	2.484%

37 21.998 21.856 22.276 BB 179003 5007621 47.74% 2.474%
rteres
Sum of corrected areas: 2024

Aliphatic EPH 051425.M Fri May 23 23:58:04 2025

Instrument :

FID_E

ClientSampleId :

PB168138BSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 05/27/2025

Supervised By :mohammad ahmed 05/29/2025