

rteres

Instrument :

FID_E

ClientSampleId :

PB168197BS

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 05/30/2025

Supervised By :mohammad ahmed 05/30/2025

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE05292
Data File : FE054071.D
Signal(s) : FID1B.ch
Acq On : 29 May 2025 15:04
Sample : PB168197BS
Misc :
ALS Vial : 7 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 051425.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.195	3.134	3.325	BV	436549	4547104	41.77%	2.185%
2	4.454	4.389	4.471	BV	480318	4732394	43.48%	2.274%
3	4.488	4.471	4.548	VV	519584	5493956	50.47%	2.640%
4	6.165	6.110	6.412	BB	515167	5824018	53.51%	2.799%
5	6.633	6.572	6.817	BB	489434	5074417	46.62%	2.439%
6	7.267	7.230	7.395	VV	470229	5371350	49.35%	2.581%
7	8.469	8.330	8.537	BV	475449	5153139	47.34%	2.476%
8	8.572	8.537	8.749	VV	546022	5993815	55.07%	2.880%
9	8.872	8.845	9.095	VB	553428	6116539	56.19%	2.939%
10	9.665	9.562	9.839	BV	487174	5979172	54.93%	2.873%
11	10.080	10.014	10.212	BB	467315	5294024	48.64%	2.544%
12	11.076	11.002	11.127	BV	486866	5638636	51.80%	2.710%
13	11.153	11.127	11.309	VV	432840	5705986	52.42%	2.742%
14	11.528	11.500	11.660	BB	444336	5232754	48.07%	2.515%
15	11.841	11.769	11.969	BV	559299	6173805	56.72%	2.967%
16	12.841	12.804	12.873	PV	452302	5469812	50.25%	2.629%
17	12.904	12.873	13.067	VV	455412	5615926	51.59%	2.699%
18	13.203	13.164	13.252	BV	451550	5486144	50.40%	2.637%
19	13.286	13.252	13.414	VV	400182	5010042	46.03%	2.408%
20	13.454	13.414	13.574	VB	424408	5258808	48.31%	2.527%
21	14.042	13.947	14.152	BB	406763	5186627	47.65%	2.493%
22	15.093	15.040	15.113	BV	417042	5242412	48.16%	2.519%
23	15.140	15.113	15.364	VB	646744	10884787	100.00%	5.231%
24	16.171	16.100	16.247	BB	371891	5040356	46.31%	2.422%
25	16.661	16.572	16.677	BV	400787	5502523	50.55%	2.644%
26	16.694	16.677	16.899	VV	456721	6140516	56.41%	2.951%
27	17.046	17.000	17.089	BV	389665	5591686	51.37%	2.687%
28	17.122	17.089	17.274	VB	362456	5183371	47.62%	2.491%
29	18.012	17.950	18.120	BB	347180	4975045	45.71%	2.391%
30	18.432	18.134	18.447	BV	368401	5369183	49.33%	2.580%
31	18.463	18.447	18.644	VV	428097	6989374	64.21%	3.359%
32	18.687	18.644	18.800	PBA	335124	5808975	53.37%	2.792%
33	18.845	18.800	18.982	BB	338570	4877614	44.81%	2.344%
34	19.629	19.590	19.699	BV	330464	5073578	46.61%	2.438%
35	20.371	20.320	20.469	BV	327935	5281457	48.52%	2.538%
36	21.101	21.040	21.305	BB	298331	5774458	53.05%	2.775%

37 21.995 21.850 22.145 BV 229273 5989404 55.03% 2.878%
rteres
Sum of corrected areas: 2086

Aliphatic EPH 051425.M Fri May 30 02:28:20 2025

Instrument :

FID_E

ClientSampleId :

PB168197BS

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 05/30/2025

Supervised By :mohammad ahmed 05/30/2025