

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE053023AL\
 Data File : FE042271.D
 Signal(s) : FID1B.ch
 Acq On : 30 May 2023 09:57
 Operator : YP\AJ
 Sample : 02919-01DL2 50X
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 FID_E
 ClientSampleId :
 IMPACTED-STONEDL2

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 05/31/2023
 Supervised By :Ankita Jodhani 05/31/2023

Integration File: autoint1.e
 Quant Time: May 30 12:22:13 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 051823.M
 Quant Title : GC Extractables
 QLast Update : Thu May 18 06:27:12 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1 ul
 Signal Phase : Rxi-1ms
 Signal Info : 20M x 0.18mm x 0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S ortho-Terphenyl (SURR)	11.956	276606	1.566 ug/mlm
Spiked Amount 50.000		Recovery =	3.13%
12) S 1-chlorooctadecane (S...	13.394	179924	1.354 ug/mlm
Spiked Amount 50.000		Recovery =	2.71%

Target Compounds

(f)=RT Delta > 1/2 Window

(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE053023AL\
Data File : FE042271.D
Signal(s) : FID1B.ch
Acq On : 30 May 2023 09:57
Operator : YP\AJ
Sample : 02919-01DL2 50X
Misc :
ALS Vial : 12 Sample Multiplier: 1


Instrument :
FID_E
ClientSampleId :
IMPACTED-STONEDL2


Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 05/31/2023
Supervised By :Ankita Jodhani 05/31/2023

Integration File: autoint1.e
Quant Time: May 30 12:22:13 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 051823.
Quant Title : GC Extractables
QLast Update : Thu May 18 06:27:12 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18um






#9 ortho-Terphenyl (SURR)

R.T.: 11.956 min
Delta R.T.: -0.012 min
Response: 276606
Conc: 1.57 ug/ml

Instrument :
FID_E
ClientSampleId :
IMPACTED-STONEDL2

Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 05/31/2023
Supervised By :Ankita Jodhani 05/31/2023



#12 1-chlorooctadecane (SURR)

R.T.: 13.394 min
Delta R.T.: -0.011 min
Response: 179924
Conc: 1.35 ug/ml m