

rteres

Instrument :

FID_E

ClientSampleId :

PB145217BSD

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE06012

Data File : FE035836.D

Signal(s) : FID1B.CH

Acq On : 01 Jun 2022 11:23

Sample : PB145217BSD

Misc :

ALS Vial : 5 Sample Multiplier: 1

Reviewed By :Yogesh Patel 06/06/2022

Supervised By :Ankita Jodhani 06/06/2022

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 051022.M

Title : GC Extractables

Signal : FID1B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	2.820	2.785	2.866	BB	704755	5724165	46.22%	2.459%
2	3.829	3.800	3.852	BV	684025	5970498	48.21%	2.565%
3	3.879	3.852	3.923	VB	778021	6794040	54.86%	2.919%
4	5.391	5.349	5.423	BV	760139	7101660	57.35%	3.051%
5	5.812	5.775	5.859	BB	641371	6264801	50.59%	2.691%
6	6.438	6.392	6.513	BB	729478	7013912	56.64%	3.013%
7	7.601	7.567	7.646	BB	611518	6368893	51.43%	2.736%
8	7.716	7.679	7.772	BB	656868	6623642	53.49%	2.845%
9	8.012	7.979	8.048	BB	692419	7027665	56.75%	3.019%
10	8.794	8.758	8.842	BB	684299	6945366	56.08%	2.984%
11	9.198	9.160	9.259	BB	574564	6433202	51.95%	2.764%
12	10.195	10.121	10.230	BV	597016	6748574	54.50%	2.899%
13	10.270	10.230	10.319	PB	605347	6582991	53.16%	2.828%
14	10.637	10.589	10.672	BB	572701	6634065	53.57%	2.850%
15	10.957	10.917	11.003	BB	630959	6922172	55.90%	2.974%
16	11.943	11.859	11.974	BV	528629	6413810	51.79%	2.755%
17	12.011	11.974	12.044	VB	556095	6455699	52.13%	2.773%
18	12.310	12.260	12.337	BV	558281	6446529	52.06%	2.769%
19	12.387	12.337	12.434	VB	441441	5476318	44.22%	2.353%
20	12.554	12.474	12.591	BB	519843	6344655	51.23%	2.726%
21	13.138	13.060	13.180	BB	510949	6278285	50.70%	2.697%
22	14.185	14.130	14.204	BV	461859	6303466	50.90%	2.708%
23	14.232	14.204	14.290	VB	852477	12383757	100.00%	5.320%
24	15.259	15.180	15.303	BB	464642	6020798	48.62%	2.586%
25	15.741	15.682	15.756	BV	416164	6344148	51.23%	2.725%
26	15.776	15.756	15.809	VB	525212	6255568	50.51%	2.687%
27	16.121	16.054	16.154	BV	437041	5723379	46.22%	2.459%
28	16.205	16.154	16.255	VB	445785	5871561	47.41%	2.522%
29	17.091	17.031	17.143	BB	408928	5711011	46.12%	2.453%
30	17.492	17.426	17.506	BV	404620	6260020	50.55%	2.689%
31	17.529	17.506	17.596	VB	453186	6075095	49.06%	2.610%
32	17.750	17.681	17.833	BB	406588	5991138	48.38%	2.574%
33	17.920	17.867	17.959	BB	391295	5582948	45.08%	2.398%
34	18.703	18.639	18.760	BB	376240	5264985	42.52%	2.262%
35	19.440	19.385	19.500	BB	319913	4570900	36.91%	1.964%
36	20.176	20.115	20.236	BB	218534	3995493	32.26%	1.716%

37 21.090 20.982 21.241 BB 156324 3858202 31.16% 1.657%
Sum of corrected areas: 2327

Aliphatic EPH 051022.M Thu Jun 02 10:48:33 2022

Instrument :

FID_E

ClientSampleId :

PB145217BSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 06/06/2022
Supervised By :Ankita Jodhani 06/06/2022