

rteres

Instrument :

FID_E

ClientSampleId :

PB168239BS

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 06/04/2025

Supervised By :mohammad ahmed 06/05/2025

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE06032
Data File : FE054150.D
Signal(s) : FID1B.ch
Acq On : 03 Jun 2025 14:24
Sample : PB168239BS
Misc :
ALS Vial : 7 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 051425.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.202	3.149	3.329	BV	449590	4723150	45.37%	2.373%
2	4.457	4.392	4.474	BV	493827	4910014	47.16%	2.467%
3	4.491	4.474	4.551	VV	538779	5731778	55.06%	2.879%
4	6.165	6.112	6.419	BB	510477	5799757	55.71%	2.914%
5	6.632	6.565	6.769	BB	499548	5151493	49.48%	2.588%
6	7.266	7.231	7.397	PV	420324	5172988	49.69%	2.599%
7	8.466	8.280	8.542	BV	475363	5143332	49.40%	2.584%
8	8.570	8.542	8.797	VB	517735	5720480	54.95%	2.874%
9	8.870	8.810	9.119	BB	508256	5752414	55.26%	2.890%
10	9.664	9.604	9.835	BV	452828	5625046	54.03%	2.826%
11	10.078	10.044	10.210	BB	452872	5142003	49.39%	2.583%
12	11.076	11.000	11.127	BV	453216	5277002	50.69%	2.651%
13	11.153	11.127	11.307	VV	399173	5327786	51.18%	2.676%
14	11.526	11.490	11.664	BB	427639	5042500	48.44%	2.533%
15	11.840	11.775	11.949	BV	519550	5862353	56.31%	2.945%
16	12.839	12.732	12.872	BV	437834	5129908	49.28%	2.577%
17	12.904	12.872	13.067	VV	428363	5327855	51.18%	2.677%
18	13.203	13.142	13.250	VV	431427	5210150	50.05%	2.617%
19	13.285	13.250	13.414	VV	375226	4736352	45.50%	2.379%
20	13.452	13.414	13.560	VB	395516	4904873	47.11%	2.464%
21	14.039	13.949	14.137	BB	382203	4832245	46.42%	2.428%
22	15.092	15.040	15.113	BV	395387	5023139	48.25%	2.523%
23	15.140	15.113	15.389	VB	650911	10410594	100.00%	5.230%
24	16.169	16.100	16.260	BB	355320	4746505	45.59%	2.384%
25	16.663	16.564	16.678	BV	381530	5348368	51.37%	2.687%
26	16.695	16.678	16.899	VB	449912	6003300	57.67%	3.016%
27	17.047	17.000	17.088	BV	372752	5395330	51.83%	2.710%
28	17.120	17.088	17.297	VB	333904	4991531	47.95%	2.508%
29	18.011	17.930	18.115	PB	328022	4765569	45.78%	2.394%
30	18.435	18.372	18.448	PV	355477	5155739	49.52%	2.590%
31	18.465	18.448	18.650	VV	400742	7107632	68.27%	3.571%
32	18.691	18.650	18.800	PBA	317884	5550960	53.32%	2.789%
33	18.843	18.800	18.980	BB	321585	4684952	45.00%	2.354%
34	19.629	19.590	19.699	BV	311057	4797945	46.09%	2.410%
35	20.370	20.320	20.462	BV	289028	4762152	45.74%	2.392%
36	21.100	21.040	21.284	BB	250808	4877867	46.85%	2.450%

37 21.994 21.850 22.150 BV 183612 4914105 47.20% 2.469%
rteres
Sum of corrected areas: 1990

Aliphatic EPH 051425.M Wed Jun 04 04:26:39 2025

Instrument :

FID_E

ClientSampleId :

PB168239BS

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 06/04/2025

Supervised By :mohammad ahmed 06/05/2025