

rteres

Instrument :

FID_E

ClientSampleId :

PB168374BS

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 06/11/2025

Supervised By :mohammad ahmed 06/12/2025

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE06112
Data File : FE054288.D
Signal(s) : FID1B.ch
Acq On : 10 Jun 2025 15:47
Sample : PB168374BS
Misc :
ALS Vial : 7 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 061025.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.190	3.132	3.315	BV	489078	5010886	34.78%	1.923%
2	4.448	4.385	4.465	BV	530125	5183264	35.98%	1.989%
3	4.482	4.465	4.542	VV	568832	6036728	41.90%	2.317%
4	6.158	6.099	6.420	BB	566982	6478803	44.97%	2.486%
5	6.626	6.572	6.799	BB	536320	5646031	39.19%	2.167%
6	7.260	7.225	7.389	VV	539304	6198483	43.02%	2.379%
7	8.462	8.390	8.537	BV	583135	6207404	43.08%	2.382%
8	8.566	8.537	8.742	VV	664070	7252155	50.34%	2.783%
9	8.866	8.839	9.097	VB	680940	7495320	52.02%	2.876%
10	9.660	9.547	9.827	BV	636521	7579023	52.61%	2.908%
11	10.073	10.020	10.207	BB	596810	6805878	47.24%	2.612%
12	11.071	11.007	11.120	BV	647928	7362127	51.10%	2.825%
13	11.149	11.120	11.302	VV	567606	7437385	51.62%	2.854%
14	11.521	11.470	11.660	BB	595288	6992393	48.53%	2.683%
15	11.835	11.769	11.954	BV	616756	6967771	48.36%	2.674%
16	12.834	12.734	12.869	BV	603020	7255538	50.36%	2.784%
17	12.900	12.869	13.062	VV	611886	7364660	51.12%	2.826%
18	13.199	13.150	13.229	BBA	580612	6861090	47.62%	2.633%
19	13.279	13.230	13.407	BV	443269	5087552	35.31%	1.952%
20	13.447	13.407	13.585	PB	550199	6957032	48.29%	2.670%
21	14.035	13.929	14.145	BB	542419	6875206	47.72%	2.638%
22	15.090	14.945	15.111	BV	532798	7047786	48.92%	2.705%
23	15.137	15.111	15.362	VB	1012739	14407411	100.00%	5.529%
24	16.165	16.110	16.245	BB	506913	6645119	46.12%	2.550%
25	16.661	16.557	16.677	BV	513172	7608489	52.81%	2.920%
26	16.696	16.677	16.900	VV	631083	8380795	58.17%	3.216%
27	17.046	17.007	17.070	PBA	523396	6697835	46.49%	2.570%
28	17.115	17.070	17.299	BB	447230	4343659	30.15%	1.667%
29	18.006	17.960	18.077	BB	475936	6624790	45.98%	2.542%
30	18.435	18.214	18.448	BV	460066	7016102	48.70%	2.692%
31	18.465	18.448	18.646	VV	557361	9587098	66.54%	3.679%
32	18.690	18.646	18.790	PBA	425728	7258072	50.38%	2.785%
33	18.839	18.790	19.034	BB	466810	6467135	44.89%	2.482%
34	19.624	19.580	19.692	BV	466843	6965830	48.35%	2.673%
35	20.365	20.320	20.464	BV	484424	7239594	50.25%	2.778%
36	21.094	21.040	21.235	BB	414543	7622951	52.91%	2.925%

37 21.985 21.920 22.137 BV 301958 7618624 52.88% 2.924%
rteres
Sum of corrected areas: 2605

Aliphatic EPH 061025.M Wed Jun 11 03:33:15 2025

Instrument :

FID_E

ClientSampleId :

PB168374BS

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 06/11/2025

Supervised By :mohammad ahmed 06/12/2025