

rteres

Instrument :

FID_E

ClientSampleId :

PB168374BSD

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 06/11/2025

Supervised By :mohammad ahmed 06/12/2025

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE06112
Data File : FE054289.D
Signal(s) : FID1B.ch
Acq On : 10 Jun 2025 16:17
Sample : PB168374BSD
Misc :
ALS Vial : 8 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 061025.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.191	3.135	3.319	BV	523910	5463276	34.71%	1.915%
2	4.449	4.387	4.466	BV	571787	5666341	36.00%	1.986%
3	4.483	4.466	4.543	VV	624624	6587554	41.86%	2.308%
4	6.159	6.097	6.430	BB	623050	7069860	44.92%	2.478%
5	6.626	6.565	6.760	BV	585588	6141381	39.02%	2.152%
6	7.260	7.227	7.385	VV	589854	6745816	42.86%	2.364%
7	8.463	8.387	8.535	BV	644452	6750001	42.89%	2.365%
8	8.566	8.535	8.740	VV	734047	7841727	49.83%	2.748%
9	8.867	8.839	9.077	VB	743158	8112736	51.55%	2.843%
10	9.660	9.617	9.829	BV	711740	8375130	53.22%	2.935%
11	10.074	10.020	10.220	BB	673303	7526234	47.82%	2.637%
12	11.072	11.002	11.120	BV	708158	8085854	51.38%	2.834%
13	11.150	11.120	11.302	VV	647911	8156224	51.83%	2.858%
14	11.522	11.470	11.649	BB	642917	7704657	48.96%	2.700%
15	11.835	11.767	11.960	BV	670084	7650819	48.61%	2.681%
16	12.835	12.732	12.867	BV	674979	7971389	50.65%	2.793%
17	12.901	12.867	13.062	VV	656314	8052779	51.17%	2.822%
18	13.201	13.149	13.229	BBA	639939	7494948	47.62%	2.626%
19	13.279	13.230	13.410	BV	485975	5556620	35.31%	1.947%
20	13.448	13.410	13.584	PB	630791	7635312	48.52%	2.676%
21	14.035	13.994	14.129	VB	594518	7530364	47.85%	2.639%
22	15.091	15.029	15.111	BV	591473	7750826	49.25%	2.716%
23	15.137	15.111	15.340	VB	1122499	15737957	100.00%	5.515%
24	16.165	16.110	16.247	BB	556425	7251201	46.07%	2.541%
25	16.662	16.572	16.677	BV	563417	8346758	53.04%	2.925%
26	16.696	16.677	16.902	VV	678751	9164668	58.23%	3.212%
27	17.046	17.007	17.070	PBA	561473	7400807	47.03%	2.593%
28	17.114	17.070	17.314	BB	474726	4638034	29.47%	1.625%
29	18.007	17.960	18.077	BV	527818	7204380	45.78%	2.525%
30	18.436	18.205	18.449	BV	514034	7873257	50.03%	2.759%
31	18.466	18.449	18.645	VV	619479	10394333	66.05%	3.643%
32	18.692	18.645	18.790	PBA	478728	8106022	51.51%	2.841%
33	18.838	18.790	18.975	BV	506040	7110474	45.18%	2.492%
34	19.624	19.580	19.689	BV	488574	7572228	48.11%	2.654%
35	20.365	20.320	20.467	BV	506073	7887990	50.12%	2.764%
36	21.094	21.040	21.275	BB	448444	8407913	53.42%	2.946%

37 21.986 21.920 22.137 BV 324510 8395402 53.34% 2.942%
rteres
Sum of corrected areas: 2853

Aliphatic EPH 061025.M Wed Jun 11 03:34:34 2025

Instrument :

FID_E

ClientSampleId :

PB168374BSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 06/11/2025

Supervised By :mohammad ahmed 06/12/2025