

Instrument :

FID_E

ClientSampleId :

PB153351BS

rteres

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE

Data File : FE042552.D

Signal(s) : FID1B.ch

Acq On : 12 Jun 2023 14:34

Sample : PB153351BS

Misc :

ALS Vial : 14 Sample Multiplier: 1

Reviewed By :Yogesh Patel 06/13/2023
Supervised By :Ankita Jodhani 06/13/2023

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 051823.M

Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.334	3.304	3.384	BB	675819	6647793	49.37%	2.330%
2	4.581	4.541	4.599	BV	747646	7187638	53.38%	2.519%
3	4.619	4.599	4.663	VB	727412	7406575	55.01%	2.596%
4	6.286	6.252	6.346	BB	813248	7909140	58.74%	2.772%
5	6.745	6.706	6.787	BB	769535	7663935	56.92%	2.686%
6	7.383	7.340	7.442	BB	750132	7632615	56.69%	2.675%
7	8.008	7.974	8.067	BB	832733	8227053	61.10%	2.883%
8	8.577	8.534	8.617	BB	736917	7714655	57.30%	2.704%
9	8.688	8.652	8.741	BB	763994	7923385	58.85%	2.777%
10	8.888	8.853	8.950	BB	517739	5525316	41.04%	1.936%
11	8.988	8.953	9.041	BB	794995	8147584	60.51%	2.855%
12	9.776	9.741	9.836	BB	764994	7727517	57.39%	2.708%
13	10.183	10.145	10.228	BB	701629	7943987	59.00%	2.784%
14	11.185	11.124	11.227	BV	665897	7319702	54.36%	2.565%
15	11.261	11.227	11.325	VB	655034	7262555	53.94%	2.545%
16	11.628	11.588	11.676	BB	688177	7875189	58.49%	2.760%
17	11.949	11.908	11.991	BB	756868	8354815	62.05%	2.928%
18	12.938	12.898	12.969	BV	647973	7742615	57.51%	2.713%
19	13.008	12.969	13.057	VB	598609	6866332	51.00%	2.406%
20	13.307	13.261	13.339	BV	590781	6884873	51.13%	2.413%
21	13.383	13.339	13.433	VB	521673	6346847	47.14%	2.224%
22	13.550	13.511	13.599	BB	623684	7372530	54.76%	2.584%
23	14.136	14.096	14.186	BB	571168	7225417	53.66%	2.532%
24	15.188	15.145	15.207	BV	481798	6482337	48.15%	2.272%
25	15.235	15.207	15.298	VB	1008184	13464164	100.00%	4.719%
26	16.263	16.219	16.312	BB	525577	6742787	50.08%	2.363%
27	16.750	16.693	16.766	BV	446887	6766880	50.26%	2.371%
28	16.786	16.766	16.832	VB	553259	6715808	49.88%	2.354%
29	17.132	17.079	17.175	BV	489388	6324220	46.97%	2.216%
30	17.212	17.175	17.265	VB	478173	6575170	48.83%	2.304%
31	18.103	18.052	18.151	BB	473760	6551344	48.66%	2.296%

	Area	Height	Area%	Height%	Retention	Response	Area	Height	Area%	Height%
32	18.511	18.446	18.524	BV	455441	7018904	52.13%	2.460%		
33	18.548	18.524	18.609	VB	531892	720828				
34	18.770	18.721	18.823	BB	511824	744812				
35	18.933	18.876	18.986	BB	448397	644102				
36	19.717	19.665	19.785	BB	439981	658552				
37	20.458	20.400	20.511	BB	420831	6456166	47.95%	2.263%		
38	21.208	21.161	21.268	BB	365747	6697988	49.75%	2.347%		
39	22.139	22.035	22.223	BB	289346	6958077	51.68%	2.438%		
Sum of corrected areas:							285344881			

Instrument :
FID_E
ClientSampleId :
PB153351BS

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 06/13/2023
Supervised By :Ankita Jodhani 06/13/2023

Aliphatic EPH 051823.M Tue Jun 13 02:20:18 2023