

rteres

Instrument :

FID_E

ClientSampleId :

PB168413BS

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 06/12/2025

Supervised By :mohammad ahmed 06/13/2025

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE06122
Data File : FE054309.D
Signal(s) : FID1B.ch
Acq On : 11 Jun 2025 15:51
Sample : PB168413BS
Misc :
ALS Vial : 7 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 061025.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.185	3.125	3.362	BB	538950	5525137	47.16%	2.803%
2	4.445	4.383	4.461	BV	580270	5718145	48.81%	2.901%
3	4.478	4.461	4.539	VV	506555	5423286	46.30%	2.751%
4	6.155	6.107	6.413	BB	457704	5413163	46.21%	2.746%
5	6.624	6.560	6.755	BV	586115	6116851	52.22%	3.103%
6	7.257	7.227	7.387	VV	421043	5021564	42.87%	2.548%
7	8.459	8.327	8.535	BV	590996	6323115	53.98%	3.208%
8	8.562	8.535	8.742	VV	492152	5452587	46.55%	2.766%
9	8.862	8.835	9.103	VB	505068	5741913	49.02%	2.913%
10	9.656	9.602	9.825	BV	432956	5449816	46.52%	2.765%
11	10.071	10.020	10.220	BB	580046	6529286	55.74%	3.313%
12	11.067	10.993	11.118	BV	417971	5041376	43.04%	2.558%
13	11.143	11.118	11.300	VV	371070	5142223	43.90%	2.609%
14	11.518	11.470	11.647	BB	551381	6623997	56.55%	3.361%
15	11.832	11.772	11.953	BV	588011	6759621	57.70%	3.429%
16	12.831	12.727	12.865	BV	577335	6871672	58.66%	3.486%
17	12.894	12.865	13.060	VV	392120	4992884	42.62%	2.533%
18	13.193	13.147	13.229	BBA	392462	4678856	39.94%	2.374%
19	13.276	13.230	13.405	BV	414574	5001730	42.70%	2.538%
20	13.444	13.405	13.563	PB	541376	6617217	56.49%	3.357%
21	14.032	13.932	14.132	BB	522915	6571996	56.10%	3.334%
22	15.084	15.015	15.104	BV	362186	4583876	39.13%	2.326%
23	15.133	15.104	15.353	VB	724120	11714493	100.00%	5.943%
24	16.161	16.110	16.252	BB	486739	6443504	55.00%	3.269%
25	16.653	16.560	16.669	BV	365123	4895215	41.79%	2.484%
26	16.686	16.669	16.897	VV	399572	5588988	47.71%	2.836%
27	17.038	16.973	17.070	PBA	329153	4160646	35.52%	2.111%
28	17.111	17.070	17.283	BB	440766	5166932	44.11%	2.621%
29	18.002	17.960	18.108	BB	452444	6348666	54.19%	3.221%
30	18.425	18.203	18.437	BV	274244	3776140	32.23%	1.916%
31	18.454	18.437	18.643	VV	328314	6615996	56.48%	3.357%
32	18.679	18.643	18.790	PBA	223681	4445517	37.95%	2.255%
33	18.835	18.790	19.047	BB	393753	5468436	46.68%	2.774%
34	19.618	19.580	19.695	BV	246810	3744555	31.97%	1.900%
35	20.358	20.320	20.442	BB	111142	1804966	15.41%	0.916%
36	21.085	21.040	21.192	BB	45462	876299	7.48%	0.445%

37 21.972 21.920 22.068 BB 17340 454548 3.88% 0.231%
rteres
Sum of corrected areas: 1975

Aliphatic EPH 061025.M Thu Jun 12 01:53:13 2025

Instrument :

FID_E

ClientSampleId :

PB168413BS

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 06/12/2025

Supervised By :mohammad ahmed 06/13/2025