

rteres

Instrument :

FID_E

ClientSampleId :

PB161480BSD

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 06/14/2024
Supervised By :Ankita Jodhani 06/14/2024

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE
Data File : FE048698.D
Signal(s) : FID1B.ch
Acq On : 13 Jun 2024 16:08
Sample : PB161480BSD
Misc :
ALS Vial : 9 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 052524.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.340	3.305	3.423	BB	703617	6868120	54.18%	2.848%
2	4.584	4.547	4.601	BV	775296	7331915	57.84%	3.040%
3	4.621	4.601	4.690	VB	811461	7971352	62.89%	3.305%
4	6.284	6.244	6.395	BB	828205	7956609	62.77%	3.299%
5	6.744	6.701	6.801	BB	715511	7178885	56.63%	2.976%
6	7.380	7.331	7.497	BV	773514	7817859	61.67%	3.241%
7	8.572	8.529	8.631	BB	695746	7306369	57.64%	3.029%
8	8.681	8.642	8.788	BB	742963	7526227	59.37%	3.120%
9	8.981	8.951	9.078	VB	741975	7577902	59.78%	3.142%
10	9.769	9.721	9.891	BB	645850	7066020	55.74%	2.930%
11	10.178	10.134	10.252	BB	653980	7204457	56.84%	2.987%
12	11.175	11.085	11.221	BV	582294	6513363	51.38%	2.701%
13	11.251	11.221	11.399	VV	554360	6677768	52.68%	2.769%
14	11.621	11.584	11.699	BV	619237	7052896	55.64%	2.924%
15	11.941	11.893	12.000	BB	684663	7464939	58.89%	3.095%
16	12.930	12.885	12.961	BV	598370	6977174	55.04%	2.893%
17	12.995	12.961	13.127	VB	531720	6393910	50.44%	2.651%
18	13.295	13.246	13.329	BV	539802	6399115	50.48%	2.653%
19	13.374	13.329	13.471	VB	519673	6299852	49.70%	2.612%
20	13.541	13.494	13.613	BB	557925	6718972	53.01%	2.786%
21	14.127	14.079	14.204	BB	546676	6664155	52.57%	2.763%
22	15.172	15.118	15.192	BV	377266	4955211	39.09%	2.054%
23	15.222	15.192	15.441	VB	606483	12676024	100.00%	5.256%
24	16.251	16.196	16.320	BB	504064	6613021	52.17%	2.742%
25	16.730	16.665	16.744	BV	317288	4602948	36.31%	1.908%
26	16.762	16.744	16.954	VB	367431	5737649	45.26%	2.379%
27	17.108	17.049	17.164	BV	254511	3834807	30.25%	1.590%
28	17.199	17.164	17.331	VB	485812	6984661	55.10%	2.896%
29	18.086	18.021	18.157	BB	480794	6760772	53.34%	2.803%
30	18.476	18.391	18.494	BV	135518	2023423	15.96%	0.839%
31	18.513	18.494	18.678	VV	130527	3477067	27.43%	1.442%

					rtres			
32	18.730	18.678	18.875	VV	159934	3369352	26.58%	1.397%
33	18.918	18.875	18.966	VV	484937	696731		
34	19.701	19.630	19.788	BB	475102	688682		
35	20.440	20.401	20.521	BB	438019	640279		
36	21.176	21.121	21.289	BBA	319044	596116		
37	22.090	22.041	22.230	BB	210155	4969751	39.21%	2.061%
Sum of corrected areas:						241190644		

Instrument :
FID_E
ClientSampleId :
PB161480BSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 06/14/2024
Supervised By :Ankita Jodhani 06/14/2024

Aliphatic EPH 052524.M Fri Jun 14 01:52:57 2024