

rteres

Instrument :

FID_E

ClientSampleId :

PB153419BSD

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 06/15/2023
Supervised By :Ankita Jodhani 06/15/2023

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE
Data File : FE042611.D
Signal(s) : FID1B.ch
Acq On : 14 Jun 2023 14:53
Sample : PB153419BSD
Misc :
ALS Vial : 20 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 051823.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.331	3.301	3.384	BB	620268	6188923	46.91%	2.261%
2	4.578	4.547	4.596	BV	681373	6561156	49.73%	2.397%
3	4.615	4.596	4.676	VB	671464	6806789	51.59%	2.486%
4	6.281	6.250	6.363	BB	737362	7253219	54.98%	2.649%
5	6.741	6.709	6.792	BB	688462	7030978	53.29%	2.568%
6	7.378	7.337	7.458	BB	701123	7123785	54.00%	2.602%
7	8.004	7.968	8.081	BB	722773	7294854	55.29%	2.665%
8	8.572	8.537	8.617	BB	697740	7370149	55.86%	2.692%
9	8.682	8.647	8.749	BB	743385	7554575	57.26%	2.759%
10	8.882	8.849	8.950	BV	469588	4880629	36.99%	1.783%
11	8.982	8.950	9.042	VB	769399	7797789	59.11%	2.848%
12	9.771	9.735	9.854	BB	694903	7469201	56.62%	2.728%
13	10.179	10.140	10.225	BB	691681	7694134	58.32%	2.810%
14	11.178	11.119	11.221	BV	641119	7099539	53.81%	2.593%
15	11.254	11.221	11.353	VB	635408	7133697	54.07%	2.606%
16	11.623	11.584	11.677	BB	643438	7664038	58.09%	2.799%
17	11.942	11.907	11.992	BB	685193	7753535	58.77%	2.832%
18	12.933	12.894	12.965	BV	632621	7550212	57.23%	2.758%
19	13.000	12.965	13.066	VB	572754	6694105	50.74%	2.445%
20	13.299	13.253	13.333	BV	577120	6688292	50.70%	2.443%
21	13.378	13.333	13.436	VB	481628	5918735	44.86%	2.162%
22	13.544	13.495	13.603	BB	578928	7178281	54.41%	2.622%
23	14.131	14.091	14.183	BB	581971	7035267	53.33%	2.570%
24	15.180	15.136	15.200	BV	459576	6327157	47.96%	2.311%
25	15.227	15.200	15.316	VB	875112	13192924	100.00%	4.819%
26	16.257	16.205	16.306	BB	512150	6586157	49.92%	2.406%
27	16.741	16.682	16.757	BV	444475	6631182	50.26%	2.422%
28	16.776	16.757	16.850	VB	530963	6638984	50.32%	2.425%
29	17.123	17.067	17.169	BV	453553	6205976	47.04%	2.267%
30	17.207	17.169	17.265	VB	447753	6423445	48.69%	2.346%
31	18.097	18.043	18.151	BB	460902	6415432	48.63%	2.343%

	Area	Height	Area%	Height%	Retention	Response	Area	Height	Area%	Height%
32	18.501	18.436	18.515	BV	457774	6913485	52.40%	2.525%		
33	18.537	18.515	18.623	VB	517491	716056				
34	18.760	18.721	18.847	BB	493375	715176				
35	18.928	18.870	18.982	BB	424802	631566				
36	19.711	19.650	19.791	BB	447822	647602				
37	20.452	20.395	20.498	BV	435210	6312975	47.85%	2.306%		
38	21.199	21.161	21.267	BB	347183	6379269	48.35%	2.330%		
39	22.126	22.044	22.245	BB	287479	6902528	52.32%	2.521%		
Sum of corrected areas:							273775237			

Instrument :

FID_E

ClientSampleId :

PB153419BSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 06/15/2023
Supervised By :Ankita Jodhani 06/15/2023

Aliphatic EPH 051823.M Thu Jun 15 01:58:44 2023