

rteres

Instrument :

FID_E

ClientSampleId :

PB168463BS

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 06/16/2025

Supervised By :mohammad ahmed 06/17/2025

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE06142
Data File : FE054388.D
Signal(s) : FID1B.ch
Acq On : 13 Jun 2025 18:22
Sample : PB168463BS
Misc :
ALS Vial : 12 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 061025.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.178	3.125	3.359	BV	395842	4181707	35.26%	2.064%
2	4.439	4.375	4.456	BV	442690	4376735	36.91%	2.160%
3	4.472	4.456	4.539	VV	498615	5387420	45.43%	2.659%
4	6.151	6.099	6.442	BB	479512	5853131	49.36%	2.889%
5	6.619	6.555	6.794	BB	461188	4897871	41.30%	2.417%
6	7.253	7.222	7.389	VV	445547	5499942	46.38%	2.714%
7	8.453	8.385	8.527	BV	481782	5177394	43.66%	2.555%
8	8.556	8.527	8.735	VV	546595	6307599	53.19%	3.113%
9	8.857	8.829	9.105	VB	569803	6518441	54.97%	3.217%
10	9.650	9.604	9.824	BV	485319	6356260	53.60%	3.137%
11	10.064	10.020	10.185	BB	469268	5330452	44.95%	2.631%
12	11.060	10.992	11.112	BV	504016	6072698	51.21%	2.997%
13	11.138	11.112	11.295	VV	452935	6174003	52.06%	3.047%
14	11.511	11.470	11.649	BB	454062	5453595	45.99%	2.692%
15	11.825	11.764	11.987	BB	587715	6887545	58.08%	3.399%
16	12.823	12.719	12.857	BV	467837	5678558	47.88%	2.803%
17	12.887	12.857	13.057	VV	474976	6099567	51.43%	3.010%
18	13.187	13.154	13.230	BBA	473618	5744575	48.44%	2.835%
19	13.268	13.230	13.362	BV	446338	5262254	44.37%	2.597%
20	13.436	13.399	13.554	PB	433518	5452472	45.98%	2.691%
21	14.024	13.987	14.124	PB	419186	5426633	45.76%	2.678%
22	15.077	14.927	15.097	BV	442844	5668137	47.80%	2.798%
23	15.123	15.097	15.394	VB	734717	11858835	100.00%	5.853%
24	16.152	16.110	16.239	BB	389674	5298820	44.68%	2.615%
25	16.646	16.547	16.661	BV	441602	6100187	51.44%	3.011%
26	16.678	16.661	16.897	VV	507919	6966120	58.74%	3.438%
27	17.030	16.979	17.070	BBA	393440	5417958	45.69%	2.674%
28	17.102	17.070	17.309	BB	349202	3827480	32.28%	1.889%
29	17.993	17.960	18.062	BB	365462	5145957	43.39%	2.540%
30	18.417	18.200	18.430	BV	345210	4757730	40.12%	2.348%
31	18.446	18.430	18.635	VV	422049	8130267	68.56%	4.013%
32	18.670	18.635	18.790	PBA	267652	5326595	44.92%	2.629%
33	18.825	18.790	19.037	BB	338788	4685681	39.51%	2.313%
34	19.609	19.580	19.702	BV	292930	4192019	35.35%	2.069%
35	20.349	20.320	20.444	BB	217881	3162209	26.67%	1.561%
36	21.074	21.040	21.197	BB	133484	2353334	19.84%	1.161%

37 21.959 21.920 22.100 BB 68867 1584086 13.36% 0.782%
rteres
Sum of corrected areas: 2026

Aliphatic EPH 061025.M Sat Jun 14 02:04:01 2025

Instrument :

FID_E

ClientSampleId :

PB168463BS

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 06/16/2025

Supervised By :mohammad ahmed 06/17/2025