

rteres

Instrument :

FID_E

ClientSampleId :

PB168463BSD

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 06/16/2025

Supervised By :mohammad ahmed 06/17/2025

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE06142
Data File : FE054389.D
Signal(s) : FID1B.ch
Acq On : 13 Jun 2025 18:52
Sample : PB168463BSD
Misc :
ALS Vial : 13 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 061025.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.178	3.125	3.348	BB	359856	3799618	35.43%	2.069%
2	4.439	4.373	4.456	BV	399400	3970792	37.02%	2.163%
3	4.473	4.456	4.537	VV	449371	4915222	45.83%	2.677%
4	6.151	6.095	6.423	BB	422539	5299371	49.41%	2.886%
5	6.619	6.562	6.797	BB	419910	4457577	41.56%	2.428%
6	7.253	7.223	7.383	VV	398440	4981523	46.45%	2.713%
7	8.454	8.313	8.526	BV	440382	4698321	43.81%	2.559%
8	8.557	8.526	8.735	VV	495477	5718187	53.31%	3.114%
9	8.857	8.830	9.113	VB	502099	5940001	55.38%	3.235%
10	9.651	9.542	9.824	BV	435516	5735066	53.47%	3.124%
11	10.064	10.020	10.205	BB	423525	4849006	45.21%	2.641%
12	11.061	10.988	11.113	BV	455550	5473102	51.03%	2.981%
13	11.138	11.113	11.295	VV	394648	5574958	51.98%	3.036%
14	11.511	11.470	11.655	BB	410039	4937222	46.03%	2.689%
15	11.824	11.763	11.987	BB	555208	6233199	58.12%	3.395%
16	12.824	12.725	12.858	BV	433306	5138207	47.91%	2.799%
17	12.888	12.858	13.062	VV	433329	5501963	51.30%	2.997%
18	13.186	13.155	13.229	BBA	420248	5145074	47.97%	2.802%
19	13.269	13.230	13.365	BV	399889	4711841	43.93%	2.566%
20	13.436	13.402	13.555	PB	388321	4936804	46.03%	2.689%
21	14.024	13.928	14.130	BB	386717	4908067	45.76%	2.673%
22	15.076	15.015	15.097	BV	405206	5115924	47.70%	2.786%
23	15.123	15.097	15.358	VB	646983	10725420	100.00%	5.842%
24	16.152	16.110	16.227	BB	361060	4783468	44.60%	2.605%
25	16.646	16.558	16.661	BV	392721	5484842	51.14%	2.987%
26	16.678	16.661	16.892	VV	457687	6339873	59.11%	3.453%
27	17.029	16.978	17.069	BBA	349212	4847257	45.19%	2.640%
28	17.102	17.070	17.292	BB	329904	3496940	32.60%	1.905%
29	17.992	17.960	18.065	BB	332890	4635793	43.22%	2.525%
30	18.416	18.203	18.429	BV	309800	4224436	39.39%	2.301%
31	18.446	18.429	18.633	VV	371010	7596215	70.82%	4.137%
32	18.670	18.633	18.790	PBA	238157	4996838	46.59%	2.722%
33	18.824	18.790	19.032	BB	312005	4231109	39.45%	2.304%
34	19.609	19.580	19.698	BV	260487	3788481	35.32%	2.063%
35	20.349	20.320	20.440	BB	192436	2866359	26.72%	1.561%
36	21.074	21.040	21.205	BB	117496	2108894	19.66%	1.149%

37 21.961 21.920 22.093 BB 61022 1435645 13.39% 0.782%
rteres
Sum of corrected areas: 1836

Aliphatic EPH 061025.M Sat Jun 14 02:04:51 2025

Instrument :

FID_E

ClientSampleId :

PB168463BSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 06/16/2025

Supervised By :mohammad ahmed 06/17/2025