

Instrument :

FID_E

ClientSampleId :

A-MANHOLEMSD

rteres

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE

Data File : FE042641.D

Signal(s) : FID1B.ch

Acq On : 15 Jun 2023 23:00

Sample : 03235-01MSD

Misc :

ALS Vial : 25 Sample Multiplier: 1

Reviewed By :Yogesh Patel 06/16/2023
Supervised By :Ankita Jodhani 06/16/2023

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 051823.M

Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.321	3.292	3.369	BB	412750	4154574	40.67%	2.016%
2	3.792	3.726	3.819	BB	8782	98522	0.96%	0.048%
3	3.908	3.885	3.936	BB	8426	83389	0.82%	0.040%
4	4.572	4.539	4.590	BV	477001	4702734	46.04%	2.281%
5	4.609	4.590	4.665	VB	480294	4770636	46.70%	2.314%
6	6.277	6.246	6.356	BB	528635	5187273	50.78%	2.517%
7	6.738	6.703	6.786	BB	497410	5056769	49.50%	2.453%
8	7.278	7.256	7.309	BB	9199	95414	0.93%	0.046%
9	7.374	7.332	7.451	BB	496240	5087927	49.81%	2.468%
10	8.001	7.966	8.074	BB	604292	6212619	60.82%	3.014%
11	8.568	8.532	8.613	BB	504365	5274890	51.64%	2.559%
12	8.678	8.644	8.748	BB	519856	5385856	52.72%	2.613%
13	8.878	8.847	8.946	BV	390014	4190142	41.02%	2.033%
14	8.977	8.946	9.040	VB	556904	5618864	55.01%	2.726%
15	9.766	9.734	9.842	BB	511794	5490920	53.75%	2.664%
16	10.044	10.020	10.090	BB	37400	427952	4.19%	0.208%
17	10.175	10.127	10.222	BB	529376	5816518	56.94%	2.822%
18	11.173	11.117	11.218	BV	483129	5426119	53.12%	2.632%
19	11.249	11.218	11.322	VB	491252	5384277	52.71%	2.612%
20	11.619	11.576	11.668	BB	533870	5975358	58.50%	2.899%
21	11.937	11.897	11.983	BB	379122	4169662	40.82%	2.023%
22	12.929	12.882	12.961	BV	497282	5916258	57.92%	2.870%
23	12.995	12.961	13.052	VB	456089	5182076	50.73%	2.514%
24	13.294	13.247	13.329	BV	453089	5197739	50.88%	2.522%
25	13.373	13.329	13.427	VB	262920	3260009	31.91%	1.582%
26	13.541	13.494	13.587	BB	468899	5638154	55.19%	2.735%
27	14.127	14.079	14.178	BB	434049	5524136	54.08%	2.680%
28	14.569	14.532	14.605	BB	11073	137733	1.35%	0.067%
29	15.174	15.127	15.194	BV	392216	4922863	48.19%	2.388%
30	15.221	15.194	15.307	VB	608865	10215109	100.00%	4.956%
31	15.613	15.573	15.682	BB	11365	246516	2.41%	0.120%

					rteres			
32	16.253	16.202	16.298	BB	395351	5172438	50.64%	2.509%
33	16.446	16.412	16.482	BB	11589	14778		
34	16.735	16.684	16.750	BV	362279	518876		
35	16.767	16.750	16.844	VB	415171	511775		
36	17.116	17.064	17.162	BV	375170	479646		
37	17.200	17.162	17.260	VB	364395	5032641	49.27%	2.442%
38	18.090	18.017	18.133	BB	369027	5045748	49.39%	2.448%
39	18.492	18.380	18.506	BV	365545	5467330	53.52%	2.652%
40	18.528	18.506	18.601	VB	420157	5498336	53.83%	2.667%
41	18.750	18.721	18.819	BB	389717	4752996	46.53%	2.306%
42	18.920	18.864	18.982	BB	346547	4954222	48.50%	2.403%
43	19.706	19.650	19.788	BB	342950	5070868	49.64%	2.460%
44	20.446	20.386	20.488	BV	327680	4911623	48.08%	2.383%
45	20.552	20.488	20.585	PB	4325	113127	1.11%	0.055%
46	21.192	21.161	21.254	BB	278241	4663606	45.65%	2.263%
47	22.120	22.037	22.206	BB	219923	5341005	52.29%	2.591%
Sum of corrected areas:						206125597		

Instrument :
FID_E

ClientSampleId :
A-MANHOLEMSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 06/16/2023
Supervised By :Ankita Jodhani 06/16/2023

Aliphatic EPH 051823.M Fri Jun 16 01:08:10 2023