

rteres

Instrument :

FID_E

ClientSampleId :

PB168506BSD

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 06/18/2025

Supervised By :mohammad ahmed 06/19/2025

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE06172
Data File : FE054444.D
Signal(s) : FID1B.ch
Acq On : 17 Jun 2025 15:00
Sample : PB168506BSD
Misc :
ALS Vial : 12 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 061025.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.181	3.127	3.344	BB	397435	4198750	36.96%	2.108%
2	4.440	4.385	4.457	BV	427479	4235623	37.28%	2.127%
3	4.474	4.457	4.537	VV	486157	5165778	45.47%	2.594%
4	6.151	6.097	6.455	BB	441982	5414852	47.66%	2.719%
5	6.618	6.562	6.767	BB	425607	4503095	39.64%	2.261%
6	7.253	7.222	7.385	VV	410583	4997234	43.99%	2.509%
7	8.453	8.324	8.527	BV	453063	4766943	41.96%	2.394%
8	8.557	8.527	8.732	VV	504945	5769299	50.78%	2.897%
9	8.857	8.828	9.129	VB	519791	6046803	53.23%	3.036%
10	9.651	9.549	9.824	BV	461207	5935020	52.24%	2.980%
11	10.064	10.020	10.205	BB	448351	5107841	44.96%	2.565%
12	11.062	10.987	11.114	BV	477277	5734037	50.47%	2.879%
13	11.140	11.114	11.295	VV	425972	5877122	51.73%	2.951%
14	11.511	11.470	11.667	BB	449144	5253440	46.24%	2.638%
15	11.825	11.760	11.974	BB	537213	6309599	55.54%	3.168%
16	12.824	12.719	12.860	BV	449193	5451699	47.99%	2.738%
17	12.889	12.860	13.054	VV	461994	5805136	51.10%	2.915%
18	13.189	13.134	13.230	PBA	455552	5436289	47.85%	2.730%
19	13.270	13.230	13.399	BV	398611	4719437	41.54%	2.370%
20	13.438	13.399	13.554	PB	417030	5231000	46.04%	2.627%
21	14.025	13.930	14.134	BB	407845	5185985	45.65%	2.604%
22	15.080	15.017	15.100	BV	426544	5473313	48.18%	2.748%
23	15.126	15.100	15.372	VB	744322	11360666	100.00%	5.705%
24	16.154	16.110	16.245	BB	376101	5027160	44.25%	2.524%
25	16.649	16.544	16.665	BV	413109	5891555	51.86%	2.958%
26	16.682	16.665	16.894	VV	481799	6784478	59.72%	3.407%
27	17.034	16.959	17.070	PBA	389816	5052476	44.47%	2.537%
28	17.104	17.070	17.285	BB	342164	3659387	32.21%	1.838%
29	17.995	17.960	18.062	BB	348262	4947664	43.55%	2.484%
30	18.421	18.115	18.434	BV	330244	4474525	39.39%	2.247%
31	18.452	18.434	18.637	VV	414592	8078185	71.11%	4.057%
32	18.676	18.637	18.790	PBA	283567	5382776	47.38%	2.703%
33	18.826	18.790	18.957	BB	338665	4845151	42.65%	2.433%
34	19.611	19.580	19.695	BV	321680	4751818	41.83%	2.386%
35	20.							

37 21.966 21.920 22.124 BV 143501 3592837 31.63% 1.804%
rteres
Sum of corrected areas: 1995

Aliphatic EPH 061025.M Wed Jun 18 01:46:27 2025

Instrument :

FID_E

ClientSampleId :

PB168506BSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 06/18/2025

Supervised By :mohammad ahmed 06/19/2025