

rteres

Instrument :

FID_E

ClientSampleId :

PB168533BSD

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 06/19/2025

Supervised By :mohammad ahmed 06/20/2025

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE06182
Data File : FE054482.D
Signal(s) : FID1B.ch
Acq On : 18 Jun 2025 14:56
Sample : PB168533BSD
Misc :
ALS Vial : 12 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 061025.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.180	3.117	3.357	BB	355342	3760866	33.39%	1.872%
2	4.439	4.384	4.456	BV	386285	3887034	34.51%	1.935%
3	4.473	4.456	4.536	VV	443507	4776432	42.41%	2.377%
4	6.151	6.094	6.432	BB	425024	5139364	45.63%	2.558%
5	6.618	6.554	6.789	BB	410088	4365128	38.76%	2.173%
6	7.252	7.220	7.380	PV	408533	4949068	43.94%	2.463%
7	8.453	8.309	8.530	BV	460000	4949539	43.95%	2.464%
8	8.557	8.530	8.737	VV	534033	5899435	52.38%	2.936%
9	8.857	8.830	9.124	VB	543389	6197765	55.03%	3.085%
10	9.651	9.595	9.825	BV	481425	6082307	54.00%	3.027%
11	10.065	10.020	10.210	BB	471860	5317220	47.21%	2.647%
12	11.062	10.984	11.115	BV	484259	5754099	51.09%	2.864%
13	11.140	11.115	11.297	VV	420336	5880659	52.21%	2.927%
14	11.512	11.470	11.640	BB	449654	5383462	47.80%	2.680%
15	11.826	11.759	11.955	BV	562411	6448800	57.26%	3.210%
16	12.825	12.719	12.859	BV	452063	5521968	49.03%	2.749%
17	12.891	12.859	13.059	VV	447807	5748138	51.04%	2.861%
18	13.189	13.145	13.230	BBA	432196	5387735	47.84%	2.682%
19	13.270	13.230	13.402	BV	405700	4733777	42.03%	2.356%
20	13.438	13.402	13.544	PB	417676	5264820	46.74%	2.621%
21	14.025	13.932	14.120	BB	418326	5204721	46.21%	2.591%
22	15.081	14.932	15.101	BV	419341	5414134	48.07%	2.695%
23	15.126	15.101	15.360	VB	752028	11262880	100.00%	5.606%
24	16.155	16.110	16.229	BB	380234	4985341	44.26%	2.481%
25	16.651	16.554	16.666	BV	433009	5875951	52.17%	2.925%
26	16.684	16.666	16.895	VV	498955	6717725	59.64%	3.344%
27	17.036	17.002	17.070	PBA	405103	5367013	47.65%	2.671%
28	17.105	17.070	17.304	BB	333950	3509406	31.16%	1.747%
29	17.996	17.960	18.059	BB	355208	4946966	43.92%	2.462%
30	18.424	18.084	18.436	BV	334103	4527191	40.20%	2.253%
31	18.453	18.436	18.640	VV	421743	7943114	70.52%	3.954%
32	18.678	18.640	18.790	PBA	287009	5343165	47.44%	2.660%
33	18.828	18.790	18.967	BV	339960	4871698	43.25%	2.425%
34	19.613	19.580	19.688	BV	353623	5027538	44.64%	2.502%
35	20.354	20.320	20.437	BV	328759	4976852	44.19%	2.477%
36	21.080	21.040	21.199	BV	271808	4957644	44.02%	2.468%

37 21.969 21.920 22.107 BV 186181 4523143 40.16% 2.251%
rteres
Sum of corrected areas: 2009

Aliphatic EPH 061025.M Thu Jun 19 02:19:56 2025

Instrument :

FID_E

ClientSampleId :

PB168533BSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 06/19/2025

Supervised By :mohammad ahmed 06/20/2025