

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE062019\
Data File : FE030120.D
Signal(s) : FID1B.CH
Acq On : 20 Jun 2019 14:31
Sample : 4400 PPM TRPH STD
Misc :
ALS Vial : 3 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\C44-FE062019.M
Title :

Signal : FID1B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	2.366	2.301	2.503	BV	5693247	76302478	61.32%	8.533%
2	3.342	3.283	3.439	PV	5141219	78434181	63.03%	8.771%
3	4.402	4.337	4.691	PB	5991252	121246898	97.44%	13.559%
4	5.433	5.276	5.709	BB	5335830	122714191	98.62%	13.723%
5	6.415	6.332	6.659	BB	5370477	122807255	98.70%	13.733%
6	8.213	8.131	8.447	BB	5089010	124430141	100.00%	13.915%
7	9.810	9.727	10.014	VB	4385697	103614249	83.27%	11.587%
8	11.232	11.169	11.407	BB	2860211	51341089	41.26%	5.741%
9	12.523	12.461	12.681	BB	1558331	20344973	16.35%	2.275%
10	14.611	14.547	14.691	BV	796900	10154386	8.16%	1.136%
11	14.827	14.762	14.936	BB	1428675	20031725	16.10%	2.240%
12	16.788	16.732	16.887	BB	811546	9833265	7.90%	1.100%
13	18.509	18.437	18.596	BB	739144	9403314	7.56%	1.052%
14	20.034	19.967	20.117	BB	683287	8655562	6.96%	0.968%
15	21.630	21.536	21.734	BB	390838	7853394	6.31%	0.878%
16	24.256	24.106	24.441	BB	190113	7058040	5.67%	0.789%
Sum of corrected areas:						894225140		

C44-FE062019.M Fri Jun 21 08:46:13 2019