

rteres

Instrument :

FID_E

ClientSampleId :

PB168561BS

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 06/23/2025

Supervised By :mohammad ahmed 06/24/2025

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE06202
Data File : FE054518.D
Signal(s) : FID1B.ch
Acq On : 20 Jun 2025 14:20
Sample : PB168561BS
Misc :
ALS Vial : 13 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 061025.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.179	3.120	3.357	BV	453762	4744704	43.10%	2.372%
2	4.438	4.384	4.455	BV	486945	4806146	43.66%	2.403%
3	4.472	4.455	4.534	VV	542836	5802343	52.71%	2.901%
4	6.149	6.099	6.457	BB	495256	5984241	54.36%	2.992%
5	6.617	6.550	6.797	BB	473400	5047154	45.85%	2.523%
6	7.251	7.218	7.380	PV	451954	5415613	49.20%	2.707%
7	8.452	8.309	8.526	BV	480303	5091902	46.26%	2.545%
8	8.556	8.526	8.737	VV	524847	6014694	54.64%	3.007%
9	8.856	8.830	9.109	VB	545626	6232032	56.61%	3.115%
10	9.650	9.539	9.824	BV	459372	5922843	53.81%	2.961%
11	10.064	10.020	10.232	BB	450787	5138195	46.68%	2.569%
12	11.062	10.987	11.114	BV	449410	5560005	50.51%	2.780%
13	11.139	11.114	11.294	VV	409002	5699305	51.77%	2.849%
14	11.511	11.470	11.660	BB	438278	5142629	46.72%	2.571%
15	11.825	11.759	11.987	BB	539819	6160790	55.97%	3.080%
16	12.824	12.715	12.860	BV	430270	5287168	48.03%	2.643%
17	12.890	12.860	13.059	VV	422863	5610957	50.97%	2.805%
18	13.189	13.157	13.230	BBA	441191	5261878	47.80%	2.630%
19	13.269	13.230	13.397	BV	383242	4487840	40.77%	2.244%
20	13.437	13.397	13.540	PB	411449	5054357	45.92%	2.527%
21	14.025	13.919	14.132	BV	401819	5019021	45.59%	2.509%
22	15.079	15.014	15.100	BV	413942	5258750	47.77%	2.629%
23	15.126	15.100	15.375	VB	714567	11007869	100.00%	5.503%
24	16.154	16.110	16.225	BB	378845	4860476	44.15%	2.430%
25	16.649	16.544	16.665	BV	418407	5697127	51.76%	2.848%
26	16.683	16.665	16.890	VV	460843	6580049	59.78%	3.289%
27	17.035	16.977	17.070	BBA	359645	4927157	44.76%	2.463%
28	17.104	17.070	17.280	BB	324666	3516434	31.94%	1.758%
29	17.994	17.960	18.090	BB	345690	4785580	43.47%	2.392%
30	18.422	18.119	18.433	BV	301220	3843728	34.92%	1.922%
31	18.450	18.433	18.640	VV	383562	7716293	70.10%	3.857%
32	18.676	18.640	18.790	PBA	230085	4754145	43.19%	2.377%
33	18.827	18.790	19.037	BB	339408	4614072	41.92%	2.307%
34	19.612	19.580	19.702	BV	337635	4853408	44.09%	2.426%
35	20.354	20.320	20.429	BV	322617	4833484	43.91%	2.416%
36	21.079	21.040	21.225	BB	267106	4868785	44.23%	2.434%

37 21.967 21.920 22.097 BB 185913 4434462 40.28% 2.217%
rteres
Sum of corrected areas: 2000

Aliphatic EPH 061025.M Sat Jun 21 00:46:18 2025

Instrument :

FID_E

ClientSampleId :

PB168561BS

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 06/23/2025

Supervised By :mohammad ahmed 06/24/2025