

rteres

Instrument :

FID_E

ClientSampleId :

PB168561BSD

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 06/23/2025

Supervised By :mohammad ahmed 06/24/2025

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE06202
Data File : FE054519.D
Signal(s) : FID1B.ch
Acq On : 20 Jun 2025 14:50
Sample : PB168561BSD
Misc :
ALS Vial : 14 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 061025.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.180	3.122	3.309	BV	463178	4798337	42.09%	2.314%
2	4.439	4.385	4.456	BV	502431	4892254	42.91%	2.359%
3	4.473	4.456	4.535	VV	554310	5929129	52.00%	2.859%
4	6.150	6.094	6.429	BB	510187	6123385	53.71%	2.953%
5	6.617	6.550	6.754	BV	491828	5142513	45.11%	2.480%
6	7.251	7.222	7.382	VV	456954	5574872	48.90%	2.688%
7	8.452	8.385	8.529	BV	483796	5224410	45.82%	2.519%
8	8.556	8.529	8.735	VV	538388	6213344	54.50%	2.996%
9	8.856	8.830	9.122	VB	551838	6425135	56.36%	3.098%
10	9.650	9.589	9.824	BV	481608	6146669	53.91%	2.964%
11	10.063	10.020	10.212	BB	463253	5294461	46.44%	2.553%
12	11.061	10.992	11.114	BV	484812	5770207	50.61%	2.782%
13	11.139	11.114	11.296	VV	427385	5904048	51.78%	2.847%
14	11.510	11.470	11.664	BB	449757	5317850	46.64%	2.564%
15	11.824	11.757	11.985	BB	555529	6375536	55.92%	3.074%
16	12.824	12.732	12.858	BV	458747	5478933	48.06%	2.642%
17	12.889	12.858	13.055	VV	454280	5803439	50.90%	2.798%
18	13.188	13.154	13.230	PBA	434690	5439383	47.71%	2.623%
19	13.269	13.230	13.400	BV	394440	4657830	40.85%	2.246%
20	13.437	13.400	13.552	PB	425095	5238700	45.95%	2.526%
21	14.024	13.920	14.127	BB	403609	5195791	45.57%	2.505%
22	15.079	15.020	15.100	BV	433533	5449095	47.79%	2.628%
23	15.125	15.100	15.385	VB	756072	11401111	100.00%	5.498%
24	16.154	16.110	16.235	BB	366854	5023445	44.06%	2.422%
25	16.649	16.569	16.665	BV	423312	5884651	51.61%	2.838%
26	16.683	16.665	16.897	VV	493384	6818206	59.80%	3.288%
27	17.034	16.999	17.070	PBA	388629	5307614	46.55%	2.559%
28	17.103	17.070	17.280	BB	348847	3675889	32.24%	1.772%
29	17.994	17.960	18.062	BB	364042	4969399	43.59%	2.396%
30	18.422	18.120	18.434	BV	326870	4301585	37.73%	2.074%
31	18.450	18.434	18.640	VV	411159	8004641	70.21%	3.860%
32	18.677	18.640	18.790	PBA	268104	5218630	45.77%	2.516%
33	18.826	18.790	19.007	BB	339894	4810465	42.19%	2.320%
34	19.612	19.580	19.694	BV	330227	4989490	43.76%	2.406%
35	20.352	20.320	20.445	BV	325829	4965555	43.55%	2.394%
36	21.079	21.040	21.219	BB	274404	5032592	44.14%	2.427%

37 21.965 21.920 22.114 BV 191292 4587211 40.23% 2.212%
rteres
Sum of corrected areas: 2073

Aliphatic EPH 061025.M Sat Jun 21 00:47:15 2025

Instrument :

FID_E

ClientSampleId :

PB168561BSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 06/23/2025

Supervised By :mohammad ahmed 06/24/2025