

rteres

Instrument :

FID_E

ClientSampleId :

S-1MS

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE07012

Data File : FE036348.D

Signal(s) : FID1B.ch

Acq On : 01 Jul 2022 19:47

Sample : N3561-01MS

Misc :

ALS Vial : 18 Sample Multiplier: 1

Reviewed By :Yogesh Patel 07/05/2022

Supervised By :Ankita Jodhani 07/05/2022

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 062022.M

Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	2.597	2.562	2.662	BB	513014	4636779	59.78%	1.725%
2	2.705	2.679	2.747	BV	303843	4449611	57.37%	1.655%
3	2.763	2.747	2.785	VB	3463	36790	0.47%	0.014%
4	2.977	2.947	3.002	BB	6677	66173	0.85%	0.025%
5	3.281	3.239	3.345	BB	692460	6870674	88.58%	2.555%
6	4.527	4.492	4.543	BV	722510	6947794	89.58%	2.584%
7	4.561	4.543	4.608	VB	765830	7645959	98.58%	2.844%
8	5.901	5.881	5.929	BB	4240	42141	0.54%	0.016%
9	6.222	6.181	6.294	BB	812282	7756303	100.00%	2.885%
10	6.687	6.652	6.740	BB	695150	7135827	92.00%	2.654%
11	7.217	7.197	7.246	BB	9136	88493	1.14%	0.033%
12	7.315	7.275	7.407	BB	739067	7459249	96.17%	2.774%
13	8.512	8.468	8.574	BB	648993	7083714	91.33%	2.635%
14	8.614	8.575	8.685	BB	687603	6973008	89.90%	2.594%
15	8.914	8.879	8.978	BB	711385	7394869	95.34%	2.750%
16	9.702	9.637	9.771	BB	695676	7250119	93.47%	2.697%
17	10.117	10.081	10.181	BB	622739	6967824	89.83%	2.592%
18	10.892	10.871	10.936	PB	13459	173498	2.24%	0.065%
19	11.106	11.047	11.149	BV	646143	7052940	90.93%	2.623%
20	11.182	11.149	11.238	VV	642069	6949729	89.60%	2.585%
21	11.559	11.512	11.597	BB	606274	7046211	90.84%	2.621%
22	11.872	11.787	11.925	BB	522315	5822421	75.07%	2.166%
23	12.467	12.432	12.510	BB	16970	179479	2.31%	0.067%
24	12.867	12.782	12.893	BV	579841	6741596	86.92%	2.507%
25	12.924	12.893	12.988	VB	594528	6822675	87.96%	2.538%
26	13.104	13.070	13.132	BB	4591	55645	0.72%	0.021%
27	13.222	13.164	13.253	BV	596151	6836201	88.14%	2.543%
28	13.273	13.253	13.279	VV	6619	68776	0.89%	0.026%
29	13.309	13.279	13.357	VB	372421	4545851	58.61%	1.691%
30	13.478	13.404	13.513	BB	536082	6649817	85.73%	2.473%
31	13.909	13.874	13.941	BB	4071	55575	0.72%	0.021%
32	14.063	14.026	14.108	VB	519284	6588079	84.94%	2.450%
33	14.491	14.444	14.529	BB	24640	297301	3.83%	0.111%
34	15.099	15.048	15.119	BV	522554	6613971	85.27%	2.460%
35	15.144	15.119	15.155	VV	617486	7422074	95.69%	2.761%
36	15.164	15.155	15.220	VB	501629	5755558	74.20%	2.141%

rteres							Instrument : FID_E ClientSampleId : S-1MS	
37	15.555	15.508	15.651	BB	18813	448971	5.79%	0.167%
38	15.751	15.719	15.796	PB	5682	81381		
39	16.186	16.132	16.228	BB	471722	6415940	82.35%	2.376%
40	16.657	16.610	16.673	BV	443280	6855057	88.11%	2.657%
41	16.692	16.673	16.722	VV	565974	6762952	87.74%	2.329%
42	16.791	16.767	16.822	BB	11533	153765		
43	17.037	16.979	17.076	BV	489561	6262615	80.74%	2.329%
44	17.134	17.076	17.164	VV	437405	6387001	82.35%	2.376%
45	17.178	17.164	17.213	VB	11276	153535	1.98%	0.057%
46	17.581	17.491	17.617	BB	3945	78006	1.01%	0.029%
47	18.022	17.874	18.072	BB	436823	6312512	81.39%	2.348%
48	18.412	18.360	18.427	PV	492271	7635709	98.45%	2.840%
49	18.450	18.427	18.483	VB	549392	7144958	92.12%	2.657%
50	18.670	18.609	18.742	BB	493095	7398491	95.39%	2.752%
51	18.854	18.777	18.912	BV	418562	6311411	81.37%	2.347%
52	19.241	19.081	19.293	BV	6933	264636	3.41%	0.098%
53	19.346	19.293	19.360	VV	1247	38477	0.50%	0.014%
54	19.444	19.360	19.472	VV	1408	46230	0.60%	0.017%
55	19.534	19.472	19.557	VB	643	18158	0.23%	0.007%
56	19.639	19.572	19.715	BV	420530	6407613	82.61%	2.383%
57	20.011	19.825	20.047	BV	3113	14851	0.19%	0.006%
58	20.111	20.047	20.126	VV	747	7080	0.09%	0.003%
59	20.174	20.126	20.189	PV	1838	24246	0.31%	0.009%
60	20.205	20.189	20.227	VV	887	13045	0.17%	0.005%
61	20.378	20.330	20.419	BBA	406650	6087031	78.48%	2.264%
62	20.531	20.429	20.560	BV	3541	25590	0.33%	0.010%
63	20.677	20.560	20.697	PV	726	34852	0.45%	0.013%
64	20.733	20.697	20.762	PB	2185	36648	0.47%	0.014%
65	20.897	20.772	20.952	BV	2223	142309	1.83%	0.053%
66	21.107	20.952	21.239	VB	343304	6126413	78.99%	2.279%
67	21.518	21.285	21.587	BB	2892	211568	2.73%	0.079%
68	22.002	21.867	22.152	BV	257513	6368550	82.11%	2.369%
69	22.197	22.152	22.269	VB	3779	108322	1.40%	0.040%
Sum of corrected areas:							268860649	

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 07/05/2022
Supervised By :Ankita Jodhani 07/05/2022

Aliphatic EPH 062022.M Tue Jul 05 11:14:38 2022