

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE070324AL\
Data File : FE048985.D
Signal(s) : FID1B.ch
Acq On : 03 Jul 2024 20:45
Operator : YP\AJ
Sample : I.BLK
Misc :
ALS Vial : 1 Sample Multiplier: 1

Instrument :
FID_E
ClientSampleId :

Integration File: autoint1.e
Quant Time: Jul 04 01:19:43 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 062124.M
Quant Title : GC Extractables
QLast Update : Thu Jun 20 17:53:58 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18um

Compound		R.T.	Response	Conc Units

System Monitoring Compounds				
Target Compounds				
17) T	n-Tricontane (C30)	18.084	18192	0.124 ug/ml
18) T	n-Dotriacontane (C32)	18.918	15396	0.108 ug/ml
20) T	n-Hexatriacontane (C36)	20.446	11775	0.091 ug/ml

(f)=RT Delta > 1/2 Window


(m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE070324AL\
Data File : FE048985.D
Signal(s) : FID1B.ch
Acq On : 03 Jul 2024 20:45
Operator : YP\AJ
Sample : I.BLK
Misc :
ALS Vial : 1 Sample Multiplier: 1

Instrument :
FID_E
ClientSampleId :

Integration File: autoint1.e
Quant Time: Jul 04 01:19:43 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 062124.M
Quant Title : GC Extractables
QLast Update : Thu Jun 20 17:53:58 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 1 ul
Signal Phase : Rxi-1ms
Signal Info : 20M x 0.18mm x 0.18um






#9 ortho-Terphenyl (SURR)


R.T.: 0.000 min
Exp R.T.: 11.930 min
Response: 0
Conc: N.D.

Instrument :
FID_E
ClientSampleId :




#12 1-chlorooctadecane (SURR)

R.T.: 0.000 min
Exp R.T.: 13.364 min
Response: 0
Conc: N.D.




#17 n-Tricontane (C30)

R.T.: 18.084 min
Delta R.T.: 0.011 min
Response: 18192
Conc: 0.12 ug/ml



#18 n-Dotriacontane (C32)

R.T.: 18.918 min
Delta R.T.: 0.013 min
Response: 15396
Conc: 0.11 ug/ml



#20 n-Hexatriacontane (C36)

R.T.: 20.446 min
Delta R.T.: 0.019 min
Response: 11775
Conc: 0.09 ug/ml

Instrument :
FID_E
ClientSampleId :