

rteres

Instrument :

FID_E

ClientSampleId :

PB146043BSD

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE07062
Data File : FE036386.D
Signal(s) : FID1B.ch
Acq On : 06 Jul 2022 16:41
Sample : PB146043BSD
Misc :
ALS Vial : 6 Sample Multiplier: 1

Reviewed By :Yogesh Patel 07/07/2022

Supervised By :Ankita Jodhani 07/07/2022

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 062022.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.289	3.248	3.334	BB	866894	8765952	89.89%	2.762%
2	4.530	4.488	4.546	BV	895392	8864879	90.91%	2.793%
3	4.564	4.546	4.603	VB	988635	9700629	99.48%	3.056%
4	6.223	6.183	6.262	BB	1007927	9751416	100.00%	3.072%
5	6.687	6.646	6.726	BB	896157	9060562	92.92%	2.855%
6	7.317	7.269	7.372	BB	941545	9375964	96.15%	2.954%
7	8.513	8.473	8.555	BB	830309	8968753	91.97%	2.826%
8	8.616	8.580	8.664	BB	848230	8734346	89.57%	2.752%
9	8.916	8.881	8.958	BB	896430	9248497	94.84%	2.914%
10	9.704	9.667	9.751	BB	860256	9007606	92.37%	2.838%
11	10.118	10.079	10.166	BB	782702	8809155	90.34%	2.775%
12	11.108	11.050	11.151	BV	783158	8641042	88.61%	2.722%
13	11.185	11.151	11.241	VB	769004	8535436	87.53%	2.689%
14	11.560	11.521	11.605	BB	769646	8868346	90.94%	2.794%
15	11.874	11.835	11.916	BB	697191	7920272	81.22%	2.495%
16	12.868	12.829	12.895	BV	680804	8410198	86.25%	2.650%
17	12.927	12.895	12.971	VB	721465	8230627	84.40%	2.593%
18	13.226	13.182	13.256	BV	711769	8278090	84.89%	2.608%
19	13.310	13.256	13.359	VB	497338	6331349	64.93%	1.995%
20	13.479	13.436	13.528	BB	677253	8258309	84.69%	2.602%
21	14.065	14.022	14.104	BB	646708	8128331	83.36%	2.561%
22	15.103	15.060	15.123	BV	596334	8046288	82.51%	2.535%
23	15.150	15.123	15.160	VV	803143	9646034	98.92%	3.039%
24	15.167	15.160	15.211	VB	623311	6398822	65.62%	2.016%
25	16.190	16.147	16.238	BB	602536	7773283	79.71%	2.449%
26	16.663	16.612	16.678	BV	544822	8352911	85.66%	2.632%
27	16.697	16.678	16.738	VB	683382	8382084	85.96%	2.641%
28	17.044	16.992	17.087	BB	561495	7721874	79.19%	2.433%
29	17.138	17.096	17.190	BB	550613	7680904	78.77%	2.420%
30	18.025	17.969	18.078	BB	535672	7617939	78.12%	2.400%
31	18.418	18.351	18.433	BV	568963	9386183	96.25%	2.957%
32	18.456	18.433	18.491	VB	681931	8735810	89.59%	2.752%
33	18.679	18.608	18.733	BB	621719	9201882	94.36%	2.899%
34	18.856	18.802	18.909	BB	514747	7594428	77.88%	2.393%
35	19.641	19.582	19.701	BB	509555	7659143	78.54%	2.413%
36	20.382	20.331	20.420	BBA	486977	7319418	75.06%	2.306%

rteres
 37 21.109 21.050 21.169 BB 387601 6964441 71.42% 2.194%
 38 22.001 21.927 22.091 BB 281319 7033710 72
 Sum of corrected areas: 3174

Aliphatic EPH 062022.M Thu Jul 07 09:24:06 2022

Instrument :

FID_E

ClientSampleId :

PB146043BSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 07/07/2022

Supervised By :Ankita Jodhani 07/07/2022