

rteres

Instrument :

FID_E

ClientSampleId :

PB146044BSD

Area Percent Report

Manual IntegrationsAPPROVED

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE07062
 Data File : FE036403.D
 Signal(s) : FID1B.ch
 Acq On : 07 Jul 2022 01:54
 Sample : PB146044BSD
 Misc :
 ALS Vial : 21 Sample Multiplier: 1

Reviewed By :Yogesh Patel 07/07/2022
 Supervised By :Ankita Jodhani 07/07/2022

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 062022.M
 Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.274	3.235	3.326	BB	638898	6519089	71.38%	2.172%
2	4.522	4.485	4.538	BV	699763	6753509	73.95%	2.250%
3	4.556	4.538	4.604	VB	719830	7290484	79.83%	2.429%
4	6.219	6.180	6.270	BB	793734	7855221	86.02%	2.618%
5	6.684	6.643	6.727	BB	729120	7386818	80.89%	2.462%
6	7.314	7.265	7.370	BB	794284	7967348	87.24%	2.655%
7	7.939	7.898	7.987	BB	776418	7747448	84.84%	2.582%
8	8.512	8.470	8.558	BB	733742	7895419	86.46%	2.631%
9	8.615	8.576	8.659	BB	775199	7817188	85.60%	2.605%
10	8.815	8.776	8.879	BB	482555	5187094	56.80%	1.728%
11	8.915	8.879	8.977	BB	795148	8381010	91.77%	2.793%
12	9.703	9.660	9.764	BB	771466	8460986	92.65%	2.819%
13	10.117	10.073	10.163	BB	725105	8262056	90.47%	2.753%
14	11.108	11.048	11.151	BV	698351	8191751	89.70%	2.730%
15	11.184	11.151	11.241	VB	699953	8133361	89.06%	2.710%
16	11.560	11.514	11.606	BB	706602	8511258	93.20%	2.836%
17	11.873	11.830	11.918	BB	700725	7785066	85.25%	2.594%
18	12.867	12.816	12.894	BV	654083	8105145	88.75%	2.701%
19	12.927	12.894	12.990	VB	643832	7711588	84.44%	2.570%
20	13.224	13.177	13.261	BV	637364	7672415	84.01%	2.557%
21	13.310	13.261	13.359	VB	501516	6328146	69.29%	2.109%
22	13.478	13.432	13.525	BB	649132	7963646	87.20%	2.654%
23	14.063	14.016	14.109	BB	612041	7817630	85.60%	2.605%
24	15.102	15.051	15.122	BV	507500	7242060	79.30%	2.413%
25	15.147	15.122	15.158	VV	718147	9132314	100.00%	3.043%
26	15.165	15.158	15.211	VB	575934	5814704	63.67%	1.938%
27	16.189	16.139	16.240	BB	543265	7310190	80.05%	2.436%
28	16.661	16.610	16.677	BV	451467	7316516	80.12%	2.438%
29	16.696	16.677	16.766	VB	576919	7759016	84.96%	2.586%
30	17.043	16.993	17.098	BV	493958	6956701	76.18%	2.318%
31	17.136	17.098	17.187	VB	520323	7154241	78.34%	2.384%
32	18.026	17.970	18.065	BB	478093	6989428	76.54%	2.329%
33	18.416	18.356	18.431	BV	448587	7680676	84.10%	2.559%
34	18.454	18.431	18.527	VB	549895	8468172	92.73%	2.822%
35	18.677	18.610	18.755	BB	519741	8229493	90.11%	2.742%
36	18.857	18.802	18.900	BB	471010	6934993	75.94%	2.311%

FID_E

ClientSampleId :

PB146044BSD

	19.639	19.581	19.698	BB	461021	6980351	76.44%	2.326%
37	19.639	19.581	19.698	BB	461021	6980351	76.44%	2.326%
38	20.379	20.331	20.420	BB	447745	6816570	74.44%	2.326%
39	21.105	21.042	21.176	BB	347617	6679335	73.44%	2.326%
40	22.001	21.907	22.094	BB	282678	6885160	75.44%	2.326%

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 07/07/2022
Supervised By :Ankita Jodhani 07/07/2022

Sum of corrected areas: 3000

Aliphatic EPH 062022.M Thu Jul 07 09:35:03 2022