

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE070822\
Data File : FE036437.D
Signal(s) : FID1B.ch
Acq On : 08 Jul 2022 15:53
Sample : N3214-11
Misc : 5 PPM WATER LOQ
ALS Vial : 12 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\FE062022.M
Title :

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	1.981	1.954	2.039	BV	69504	754294	26.52%	6.144%
2	4.512	4.484	4.555	BB	63907	680192	23.92%	5.541%
3	6.680	6.646	6.716	BV	59627	619150	21.77%	5.043%
4	8.505	8.466	8.553	BB	53587	600552	21.12%	4.892%
5	10.111	10.076	10.139	BV	49498	572040	20.11%	4.660%
6	11.553	11.519	11.606	BV	49873	590243	20.75%	4.808%
7	12.861	12.826	12.911	BB	49613	597739	21.02%	4.869%
8	14.057	14.024	14.116	BB	47275	619867	21.79%	5.049%
9	14.958	14.921	15.024	BV	200225	2844109	100.00%	23.168%
10	15.160	15.131	15.215	BB	45424	605045	21.27%	4.929%
11	16.181	16.151	16.232	BB	43652	599915	21.09%	4.887%
12	17.130	17.087	17.178	BB	44100	607188	21.35%	4.946%
13	18.014	17.982	18.064	BB	42685	613321	21.56%	4.996%
14	18.850	18.801	18.905	BB	38210	562755	19.79%	4.584%
15	19.632	19.563	19.680	BV	28197	443867	15.61%	3.616%
16	20.374	20.323	20.415	BV	22956	357219	12.56%	2.910%
17	21.100	21.027	21.142	BV	16710	308001	10.83%	2.509%
18	21.994	21.920	22.042	BV	12134	300726	10.57%	2.450%
Sum of corrected areas:							12276222	

FE062022.M Mon Jul 11 16:07:38 2022