

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE071222\
 Data File : FE036460.D
 Signal(s) : FID1B.ch
 Acq On : 12 Jul 2022 12:47
 Operator : YP\AJ
 Sample : N3214-02
 Misc : 5 PPM SOIL LOQ
 ALS Vial : 11 Sample Multiplier: 1

Integration File: autoint1.e
 Quant Time: Jul 13 01:21:15 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\FE062022.M
 Quant Title :
 QLast Update : Tue Jun 21 02:15:59 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1uL
 Signal Phase : Rxi-1ms
 Signal Info : 20mx0.18mmx0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S TETRACOSANE-d50 (SURR...	14.944	3000594	21.384 ug/ml
Target Compounds			
2) N-DECANE	4.497	898021	5.518 ug/ml
3) N-DODECANE	6.666	896709	5.506 ug/ml
4) N-TETRADECANE	8.491	919047	5.663 ug/ml
5) N-HEXADECANE	10.097	904735	5.579 ug/ml
6) N-OCTADECANE	11.539	926174	5.661 ug/ml
7) N-EICOSANE	12.847	911094	5.678 ug/ml
8) N-DOCOSANE	14.044	897842	5.646 ug/ml
10) N-TETRACOSANE	15.147	886869	5.674 ug/ml
11) N-HEXACOSANE	16.166	876654	5.708 ug/ml
12) N-OCTACOSANE	17.115	873754	5.808 ug/ml


(f)=RT Delta > 1/2 Window


(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE071222\
Data File : FE036460.D
Signal(s) : FID1B.ch
Acq On : 12 Jul 2022 12:47
Operator : YP\AJ
Sample : N3214-02
Misc : 5 PPM SOIL LOQ
ALS Vial : 11 Sample Multiplier: 1

Integration File: autoint1.e
Quant Time: Jul 13 01:21:15 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\FE062022.M
Quant Title :
QLast Update : Tue Jun 21 02:15:59 2022
Response via : Initial Calibration
Integrator: ChemStation


Volume Inj. : 1uL
Signal Phase : Rxi-1ms
Signal Info : 20mx0.18mmx0.18um






#2 N-DECANE

R.T.: 4.497 min
Delta R.T.: -0.021 min
Response: 898021
Conc: 5.52 ug/ml




#3 N-DODECANE

R.T.: 6.666 min
Delta R.T.: -0.021 min
Response: 896709
Conc: 5.51 ug/ml




#4 N-TETRADECANE

R.T.: 8.491 min
Delta R.T.: -0.021 min
Response: 919047
Conc: 5.66 ug/ml




#5 N-HEXADECANE

R.T.: 10.097 min
Delta R.T.: -0.021 min
Response: 904735
Conc: 5.58 ug/ml




#6 N-OCTADECANE

R.T.: 11.539 min
Delta R.T.: -0.020 min
Response: 926174
Conc: 5.66 ug/ml




#7 N-EICOSANE

R.T.: 12.847 min
Delta R.T.: -0.021 min
Response: 911094
Conc: 5.68 ug/ml




#8 N-DOCOSANE

R.T.: 14.044 min
Delta R.T.: -0.021 min
Response: 897842
Conc: 5.65 ug/ml




#9 TETRACOSANE-d50 (SURROGATE)

R.T.: 14.944 min
Delta R.T.: -0.020 min
Response: 3000594
Conc: 21.38 ug/ml




#10 N-TETRACOSANE

R.T.: 15.147 min
Delta R.T.: -0.022 min
Response: 886869
Conc: 5.67 ug/ml



#11 N-HEXACOSANE

R.T.: 16.166 min
Delta R.T.: -0.025 min
Response: 876654
Conc: 5.71 ug/ml



#12 N-OCTACOSANE

R.T.: 17.115 min
Delta R.T.: -0.024 min
Response: 873754
Conc: 5.81 ug/ml