

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE071222\
 Data File : FE036463.D
 Signal(s) : FID1B.ch
 Acq On : 12 Jul 2022 14:19
 Operator : YP\AJ
 Sample : N3214-08
 Misc : 5 PPM WATER LOD
 ALS Vial : 14 Sample Multiplier: 1

Integration File: autoint1.e
 Quant Time: Jul 13 01:21:49 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\FE062022.M
 Quant Title :
 QLast Update : Tue Jun 21 02:15:59 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 1uL
 Signal Phase : Rxi-1ms
 Signal Info : 20mx0.18mmx0.18um

Compound		R.T.	Response	Conc Units

System Monitoring Compounds				
9) S	TETRACOSANE-d50 (SURR...	14.943	2982099	21.252 ug/ml
Target Compounds				
2)	N-DECANE	4.496	890317	5.471 ug/ml
3)	N-DODECANE	6.666	892738	5.481 ug/ml
4)	N-TETRADECANE	8.491	910366	5.609 ug/ml
5)	N-HEXADECANE	10.096	895244	5.521 ug/ml
6)	N-OCTADECANE	11.539	914387	5.589 ug/ml
7)	N-EICOSANE	12.847	904165	5.635 ug/ml
8)	N-DOCOSANE	14.044	889546	5.594 ug/ml
10)	N-TETRACOSANE	15.145	881677	5.641 ug/ml
11)	N-HEXACOSANE	16.165	870108	5.666 ug/ml
12)	N-OCTACOSANE	17.113	868575	5.773 ug/ml


(f)=RT Delta > 1/2 Window


(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE071222\
Data File : FE036463.D
Signal(s) : FID1B.ch
Acq On : 12 Jul 2022 14:19
Operator : YP\AJ
Sample : N3214-08
Misc : 5 PPM WATER LOD
ALS Vial : 14 Sample Multiplier: 1

Integration File: autoint1.e
Quant Time: Jul 13 01:21:49 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\FE062022.M
Quant Title :
QLast Update : Tue Jun 21 02:15:59 2022
Response via : Initial Calibration
Integrator: ChemStation


Volume Inj. : 1uL
Signal Phase : Rxi-1ms
Signal Info : 20mx0.18mmx0.18um






#2 N-DECANE

R.T.: 4.496 min
Delta R.T.: -0.022 min
Response: 890317
Conc: 5.47 ug/ml




#3 N-DODECANE

R.T.: 6.666 min
Delta R.T.: -0.021 min
Response: 892738
Conc: 5.48 ug/ml




#4 N-TETRADECANE

R.T.: 8.491 min
Delta R.T.: -0.021 min
Response: 910366
Conc: 5.61 ug/ml




#5 N-HEXADECANE

R.T.: 10.096 min
Delta R.T.: -0.022 min
Response: 895244
Conc: 5.52 ug/ml




#6 N-OCTADECANE

R.T.: 11.539 min
Delta R.T.: -0.021 min
Response: 914387
Conc: 5.59 ug/ml




#7 N-EICOSANE

R.T.: 12.847 min
Delta R.T.: -0.021 min
Response: 904165
Conc: 5.63 ug/ml




#8 N-DOCOSANE

R.T.: 14.044 min
Delta R.T.: -0.021 min
Response: 889546
Conc: 5.59 ug/ml




#9 TETRACOSANE-d50 (SURROGATE)

R.T.: 14.943 min
Delta R.T.: -0.021 min
Response: 2982099
Conc: 21.25 ug/ml




#10 N-TETRACOSANE

R.T.: 15.145 min
Delta R.T.: -0.023 min
Response: 881677
Conc: 5.64 ug/ml



#11 N-HEXACOSANE

R.T.: 16.165 min
Delta R.T.: -0.026 min
Response: 870108
Conc: 5.67 ug/ml



#12 N-OCTACOSANE

R.T.: 17.113 min
Delta R.T.: -0.025 min
Response: 868575
Conc: 5.77 ug/ml