

rteres

Instrument :

FID_E

ClientSampleId :

PB168855BS

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 07/16/2025

Supervised By :mohammad ahmed 07/17/2025

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE07152
Data File : FE054852.D
Signal(s) : FID1B.ch
Acq On : 15 Jul 2025 15:53
Sample : PB168855BS
Misc :
ALS Vial : 12 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 062725.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.431	3.370	3.499	BB	443922	4290921	38.15%	1.970%
2	4.686	4.632	4.706	BV	481410	4521805	40.21%	2.077%
3	4.726	4.706	4.778	VV	558830	5274261	46.90%	2.422%
4	6.402	6.350	6.440	BV	631126	5791853	51.50%	2.660%
5	6.859	6.799	6.902	BB	490385	4830833	42.96%	2.218%
6	7.503	7.450	7.582	BB	580463	5635936	50.11%	2.588%
7	8.696	8.639	8.762	BB	528277	5323806	47.34%	2.445%
8	8.813	8.762	8.860	BB	649825	6330582	56.29%	2.907%
9	9.115	9.082	9.154	VB	646636	6367676	56.62%	2.924%
10	9.907	9.792	9.977	BB	640768	6482824	57.64%	2.977%
11	10.310	10.272	10.340	BV	527086	5564860	49.48%	2.556%
12	11.322	11.237	11.362	BV	603191	6305073	56.06%	2.895%
13	11.398	11.362	11.444	PV	591311	6241996	55.50%	2.866%
14	11.760	11.710	11.800	VV	493051	5567785	49.51%	2.557%
15	12.087	12.017	12.137	BB	546655	5911580	52.57%	2.715%
16	13.075	13.014	13.114	BV	486183	5656120	50.29%	2.597%
17	13.151	13.114	13.220	PB	537699	6128030	54.49%	2.814%
18	13.453	13.380	13.482	BV	539789	6140328	54.60%	2.820%
19	13.521	13.482	13.577	VB	397249	4636908	41.23%	2.129%
20	13.688	13.652	13.754	BB	460126	5395823	47.98%	2.478%
21	14.276	14.207	14.350	BB	426539	5325206	47.35%	2.445%
22	15.338	15.264	15.356	BV	451656	5980711	53.18%	2.746%
23	15.382	15.356	15.455	VB	932344	11246157	100.00%	5.165%
24	16.408	16.322	16.467	BB	415600	5151653	45.81%	2.366%
25	16.901	16.802	16.917	BV	413231	6127333	54.48%	2.814%
26	16.936	16.917	17.009	VB	512781	6092976	54.18%	2.798%
27	17.286	17.250	17.322	BV	459264	5998141	53.34%	2.754%
28	17.358	17.322	17.425	PB	379176	5078975	45.16%	2.332%
29	18.249	18.184	18.324	BB	381356	5185271	46.11%	2.381%
30	18.665	18.474	18.679	BV	483869	7057298	62.75%	3.241%
31	18.700	18.679	18.790	VBA	492084	6368509	56.63%	2.925%
32	18.924	18.790	19.032	BV	456182	6567070	58.39%	3.016%
33	19.082	19.032	19.154	VB	365840	5247829	46.66%	2.410%
34	19.867	19.580	19.937	BV	388049	5705042	50.73%	2.620%
35	20.607	20.570	20.650	BV	398818	5717392	50.84%	2.626%
36	21.388	21.040	21.472	BB	328337	6255493	55.62%	2.873%

37 22.381 22.300 22.499 BBA 249741 6254675 55.62% 2.872%
rteres
Sum of corrected areas: 2177

Aliphatic EPH 062725.M Wed Jul 16 04:57:53 2025

Instrument :

FID_E

ClientSampleId :

PB168855BS

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 07/16/2025

Supervised By :mohammad ahmed 07/17/2025