

rteres

Instrument :

FID_E

ClientSampleId :

PB168855BSD

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 07/16/2025

Supervised By :mohammad ahmed 07/17/2025

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE07152
Data File : FE054853.D
Signal(s) : FID1B.ch
Acq On : 15 Jul 2025 16:24
Sample : PB168855BSD
Misc :
ALS Vial : 13 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 062725.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.431	3.370	3.502	BB	439195	4182030	38.13%	1.971%
2	4.686	4.632	4.706	BV	463324	4404118	40.15%	2.075%
3	4.726	4.706	4.778	VV	539414	5140885	46.87%	2.422%
4	6.402	6.342	6.439	BV	606563	5645412	51.47%	2.660%
5	6.859	6.802	6.909	BB	484736	4702008	42.87%	2.216%
6	7.503	7.452	7.592	BB	573797	5496514	50.11%	2.590%
7	8.697	8.632	8.734	BB	522117	5175706	47.19%	2.439%
8	8.813	8.755	8.865	BB	625293	6168313	56.24%	2.907%
9	9.115	9.074	9.164	BB	639292	6202693	56.55%	2.923%
10	9.907	9.785	9.939	BV	601837	6298471	57.42%	2.968%
11	10.310	10.265	10.387	BV	510884	5447464	49.67%	2.567%
12	11.321	11.214	11.360	BV	558734	6146639	56.04%	2.896%
13	11.397	11.360	11.440	VV	578256	6097849	55.60%	2.873%
14	11.759	11.720	11.794	VB	481649	5419050	49.41%	2.553%
15	12.086	12.022	12.139	BB	533229	5753177	52.45%	2.711%
16	13.074	13.015	13.109	BV	473471	5502103	50.16%	2.593%
17	13.150	13.109	13.179	PV	550821	5948404	54.23%	2.803%
18	13.452	13.379	13.480	BV	520574	5969067	54.42%	2.813%
19	13.521	13.480	13.574	VB	380195	4510992	41.13%	2.126%
20	13.687	13.649	13.729	BB	441646	5247021	47.84%	2.472%
21	14.276	14.214	14.345	BB	423660	5173755	47.17%	2.438%
22	15.337	15.269	15.356	BV	450578	5860261	53.43%	2.761%
23	15.381	15.356	15.464	VB	942258	10968194	100.00%	5.168%
24	16.407	16.320	16.472	BB	390306	5006046	45.64%	2.359%
25	16.900	16.817	16.917	BV	420162	5991749	54.63%	2.823%
26	16.935	16.917	17.007	VB	505871	5947863	54.23%	2.803%
27	17.285	17.250	17.318	BV	456001	5854171	53.37%	2.758%
28	17.358	17.318	17.422	PB	383222	4937052	45.01%	2.326%
29	18.248	18.189	18.322	BB	370242	5039233	45.94%	2.374%
30	18.664	18.474	18.678	BV	467501	6949708	63.36%	3.275%
31	18.699	18.678	18.790	VBA	479025	6293290	57.38%	2.965%
32	18.923	18.790	18.992	BB	463328	6402764	58.38%	3.017%
33	19.081	19.022	19.169	BB	360247	5107132	46.56%	2.406%
34	19.866	19.580	19.935	BV	373251	5549948	50.60%	2.615%
35	20.608	20.570	20.654	BV	374480	5573084	50.81%	2.626%
36	21.389	21.194	21.472	PB	315701	6017642	54.86%	2.836%

37 22.383 22.300 22.467 BB 234874 6093853 55.56% 2.871%
rteres
Sum of corrected areas: 2122

Aliphatic EPH 062725.M Wed Jul 16 04:59:58 2025

Instrument :

FID_E

ClientSampleId :

PB168855BSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 07/16/2025

Supervised By :mohammad ahmed 07/17/2025