

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE071620\
 Data File : FE032382.D
 Signal(s) : FID1B.CH
 Acq On : 16 Jul 2020 10:40
 Operator : DD\AJ
 Sample : 50 PPM TRPH STD
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Integration File: autoint1.e
 Quant Time: Jul 17 00:44:11 2020
 Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\FE070720.M
 Quant Title :
 QLast Update : Wed Jul 08 12:04:06 2020
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 1uL
 Signal Phase : Rxi-1ms
 Signal Info : 20mx0.18mmx0.18um

Compound	R.T.	Response	Conc Units

System Monitoring Compounds			
9) S TETRACOSANE-d50 (SURR...	14.754	15803418	51.947 ug/ml
Target Compounds			
2) N-DECANE	4.495	19885093	57.178 ug/ml
3) N-DODECANE	6.511	19772527	56.659 ug/ml
4) N-TETRADECANE	8.306	19498290	56.108 ug/ml
5) N-HEXADECANE	9.908	19358875	55.526 ug/ml
6) N-OCTADECANE	11.350	19383137	54.813 ug/ml
7) N-EICOSANE	12.659	18954118	53.893 ug/ml
8) N-DOCOSANE	13.858	18532645	52.741 ug/ml
10) N-TETRACOSANE	14.961	18205585	51.431 ug/ml
11) N-HEXACOSANE	15.980	17563088	50.049 ug/ml
12) N-OCTACOSANE	16.929	17226621	48.981 ug/ml


(f)=RT Delta > 1/2 Window


(m)=manual int.

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE071620\
Data File : FE032382.D
Signal(s) : FID1B.CH
Acq On : 16 Jul 2020 10:40
Operator : DD\AJ
Sample : 50 PPM TRPH STD
Misc :
ALS Vial : 3 Sample Multiplier: 1

Integration File: autoint1.e
Quant Time: Jul 17 00:44:11 2020
Quant Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\FE070720.M
Quant Title :
QLast Update : Wed Jul 08 12:04:06 2020
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped


Volume Inj. : 1uL
Signal Phase : Rxi-1ms
Signal Info : 20mx0.18mmx0.18um






#2 N-DECANE

R.T.: 4.495 min
Delta R.T.: -0.005 min
Response: 19885093
Conc: 57.18 ug/ml




#3 N-DODECANE

R.T.: 6.511 min
Delta R.T.: -0.006 min
Response: 19772527
Conc: 56.66 ug/ml




#4 N-TETRADECANE

R.T.: 8.306 min
Delta R.T.: -0.007 min
Response: 19498290
Conc: 56.11 ug/ml




#5 N-HEXADECANE

R.T.: 9.908 min
Delta R.T.: -0.008 min
Response: 19358875
Conc: 55.53 ug/ml




#6 N-OCTADECANE

R.T.: 11.350 min
Delta R.T.: -0.008 min
Response: 19383137
Conc: 54.81 ug/ml




#7 N-EICOSANE

R.T.: 12.659 min
Delta R.T.: -0.009 min
Response: 18954118
Conc: 53.89 ug/ml




#8 N-DOCOSANE

R.T.: 13.858 min
Delta R.T.: -0.008 min
Response: 18532645
Conc: 52.74 ug/ml




#9 TETRACOSANE-d50 (SURROGATE)

R.T.: 14.754 min
Delta R.T.: -0.010 min
Response: 15803418
Conc: 51.95 ug/ml




#10 N-TETRACOSANE

R.T.: 14.961 min
Delta R.T.: -0.009 min
Response: 18205585
Conc: 51.43 ug/ml



#11 N-HEXACOSANE

R.T.: 15.980 min
Delta R.T.: -0.010 min
Response: 17563088
Conc: 50.05 ug/ml



#12 N-OCTACOSANE

R.T.: 16.929 min
Delta R.T.: -0.010 min
Response: 17226621
Conc: 48.98 ug/ml