

nteres

Instrument :

FID_E

ClientSampleId :

PB168876BS

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 07/17/2025

Supervised By :mohammad ahmed 07/18/2025

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE07162
Data File : FE054875.D
Signal (s) : FID1B.ch
Acq On : 16 Jul 2025 15:14
Sample : PB168876BS
Misc :
ALS Vial : 12 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 062725.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R. T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.439	3.375	3.497	BB	682116	6511213	43.96%	2.225%
2	4.690	4.632	4.709	BV	760906	7110150	48.00%	2.430%
3	4.730	4.709	4.781	VV	833559	8188696	55.28%	2.799%
4	6.404	6.347	6.438	BV	937993	8901567	60.09%	3.042%
5	6.860	6.722	6.907	BB	764007	7459975	50.36%	2.550%
6	7.504	7.452	7.588	BB	850116	8309548	56.10%	2.840%
7	8.698	8.638	8.760	BB	747838	7505316	50.67%	2.565%
8	8.815	8.767	8.867	BV	896900	8793055	59.36%	3.005%
9	9.117	9.078	9.152	BB	832299	8748970	59.06%	2.990%
10	9.909	9.728	9.978	BB	838698	8703978	58.76%	2.975%
11	10.311	10.268	10.380	PV	697375	7523602	50.79%	2.571%
12	11.324	11.238	11.362	BV	754984	8290052	55.96%	2.833%
13	11.400	11.362	11.452	PV	798379	8210541	55.43%	2.806%
14	11.761	11.722	11.807	BV	653855	7356765	49.66%	2.514%
15	12.087	12.048	12.135	BB	581164	6206072	41.90%	2.121%
16	13.076	12.995	13.113	BV	665567	7429772	50.16%	2.539%
17	13.153	13.113	13.230	VBA	706651	8014160	54.10%	2.739%
18	13.455	13.390	13.482	BV	702580	8038979	54.27%	2.747%
19	13.521	13.482	13.592	VB	412082	4875781	32.91%	1.666%
20	13.689	13.652	13.748	VB	582987	7067950	47.71%	2.416%
21	14.278	14.200	14.358	BB	570494	6975674	47.09%	2.384%
22	15.340	15.285	15.359	BV	586247	7945845	53.64%	2.716%
23	15.385	15.359	15.475	VB	1216577	14813277	100.00%	5.063%
24	16.409	16.322	16.463	BB	513583	6762751	45.65%	2.311%
25	16.904	16.810	16.920	BV	529005	8152934	55.04%	2.786%
26	16.941	16.920	17.012	VB	653953	8046565	54.32%	2.750%
27	17.290	17.250	17.322	BV	576584	7993376	53.96%	2.732%
28	17.360	17.322	17.422	VB	509967	6687028	45.14%	2.285%
29	18.251	18.178	18.310	PB	483446	6816613	46.02%	2.330%
30	18.669	18.553	18.683	BV	551876	9543350	64.42%	3.262%
31	18.706	18.683	18.790	VBA	622190	8522043	57.53%	2.913%
32	18.930	18.838	19.035	BV	578266	8783081	59.29%	3.002%
33	19.083	19.035	19.188	VB	483175	6917758	46.70%	2.364%
34	19.869	19.580	19.945	BV	510395	7530971	50.84%	2.574%
35	20.609	20.570	20.667	BV	512321	7526113	50.81%	2.572%
36	21.393	21.180	21.468	BV	442298	8168418	55.14%	2.792%

37 22.384 22.300 22.499 BBA 320753 8168994 55.15% 2.792%
rteres
Sum of corrected areas: 2926

Aliphatic EPH 062725.M Thu Jul 17 06:18:17 2025

Instrument :
FID_E
ClientSampleId :
PB168876BS

Manual Integrations APPROVED

Reviewed By :Yogesh Patel 07/17/2025
Supervised By :mohammad ahmed 07/18/2025