

rteres

Instrument :

FID_E

ClientSampleId :

PB168876BSD

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 07/17/2025

Supervised By :mohammad ahmed 07/18/2025

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE07162
Data File : FE054876.D
Signal(s) : FID1B.ch
Acq On : 16 Jul 2025 15:44
Sample : PB168876BSD
Misc :
ALS Vial : 13 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 062725.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.439	3.379	3.509	BB	663986	6331713	43.94%	2.226%
2	4.690	4.632	4.709	BV	743776	6906917	47.93%	2.428%
3	4.730	4.709	4.784	VV	817313	7957229	55.22%	2.797%
4	6.404	6.335	6.440	BV	925301	8658479	60.09%	3.044%
5	6.860	6.802	6.919	BB	737716	7243932	50.27%	2.547%
6	7.504	7.450	7.570	BB	818335	8089303	56.14%	2.844%
7	8.698	8.639	8.762	BV	687180	7303074	50.68%	2.567%
8	8.815	8.762	8.870	VV	876768	8568083	59.46%	3.012%
9	9.117	9.064	9.149	BB	853524	8520999	59.13%	2.996%
10	9.908	9.719	9.935	BV	818334	8445020	58.61%	2.969%
11	10.311	10.270	10.387	PV	659920	7325636	50.84%	2.575%
12	11.323	11.202	11.359	BV	737534	8069254	56.00%	2.837%
13	11.399	11.359	11.449	PV	754238	8004176	55.55%	2.814%
14	11.761	11.719	11.800	BV	628143	7164091	49.72%	2.519%
15	12.086	12.022	12.140	BB	558170	6040447	41.92%	2.123%
16	13.075	12.975	13.112	BV	622454	7229100	50.17%	2.541%
17	13.152	13.112	13.184	PV	683131	7771357	53.93%	2.732%
18	13.454	13.379	13.480	BV	675583	7805440	54.17%	2.744%
19	13.521	13.480	13.580	VB	400611	4741668	32.91%	1.667%
20	13.689	13.582	13.754	BB	583777	6881967	47.76%	2.419%
21	14.277	14.202	14.339	BB	555211	6781161	47.06%	2.384%
22	15.339	15.290	15.358	BV	577114	7738056	53.70%	2.720%
23	15.384	15.358	15.460	VB	1175928	14409612	100.00%	5.066%
24	16.409	16.337	16.482	BB	503190	6576664	45.64%	2.312%
25	16.903	16.829	16.919	BV	521118	7924646	55.00%	2.786%
26	16.940	16.919	17.004	VB	644738	7835471	54.38%	2.755%
27	17.288	17.250	17.320	BV	572824	7749989	53.78%	2.724%
28	17.358	17.320	17.419	PV	484368	6492868	45.06%	2.283%
29	18.251	18.172	18.307	PB	488243	6633078	46.03%	2.332%
30	18.667	18.490	18.682	BV	541135	9343960	64.85%	3.285%
31	18.705	18.682	18.790	VBA	608691	8323891	57.77%	2.926%
32	18.928	18.845	19.029	BV	548655	8544047	59.29%	3.004%
33	19.082	19.029	19.189	VB	480293	6737250	46.76%	2.368%
34	19.867	19.580	19.937	BV	505528	7271722	50.46%	2.556%
35	20.608	20.570	20.654	BV	513790	7293364	50.61%	2.564%
36	21.390	21.299	21.487	BB	412702	7809990	54.20%	2.746%

37 22.385 22.300 22.499 BBA 306087 7934004 55.06% 2.789%
rteres
Sum of corrected areas: 2844

Aliphatic EPH 062725.M Thu Jul 17 06:19:27 2025

Instrument :

FID_E

ClientSampleId :

PB168876BSD

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 07/17/2025

Supervised By :mohammad ahmed 07/18/2025