

rteres

Area Percent Report

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE071721\
Data File : FE034083.D
Signal(s) : FID1B.CH
Acq On : 16 Jul 2021 17:49
Sample : 50 PPM TRPH STD
Misc :
ALS Vial : 3 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\FE062321.M
Title :

Signal : FID1B.CH

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	4.433	4.398	4.480	BB	2009494	19590582	93.16%	8.796%
2	6.445	6.400	6.504	BB	1859882	20064423	95.41%	9.008%
3	8.240	8.193	8.291	BB	1803947	20474102	97.36%	9.192%
4	9.842	9.793	9.884	BB	1743850	20461829	97.30%	9.187%
5	11.284	11.231	11.325	BB	1698822	21029817	100.00%	9.442%
6	12.595	12.540	12.640	BB	1638558	20978928	99.76%	9.419%
7	13.794	13.736	13.843	BB	1543032	20781781	98.82%	9.331%
8	14.691	14.635	14.756	BB	1184113	17993995	85.56%	8.079%
9	14.899	14.841	14.946	BB	1510070	20794325	98.88%	9.336%
10	15.920	15.860	15.967	BB	1426792	20472311	97.35%	9.192%
11	16.870	16.805	16.900	BBA	1390116	20085825	95.51%	9.018%
Sum of corrected areas:						222727917		

FE062321.M Mon Jul 19 10:32:31 2021