

rteres

Instrument :

FID_E

ClientSampleId :

PB168876BS

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 07/18/2025

Supervised By :mohammad ahmed 07/21/2025

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE07172
Data File : FE054892.D
Signal(s) : FID1B.ch
Acq On : 17 Jul 2025 09:02
Sample : PB168876BS
Misc :
ALS Vial : 11 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 062725.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.441	3.384	3.495	BB	538499	5190098	41.90%	2.124%
2	4.696	4.632	4.715	BV	598059	5700110	46.01%	2.333%
3	4.736	4.715	4.789	VV	676987	6577045	53.09%	2.691%
4	6.412	6.355	6.447	BV	767154	7250287	58.53%	2.967%
5	6.867	6.829	6.914	BB	625380	6031810	48.69%	2.468%
6	7.513	7.465	7.587	BB	693258	6819677	55.05%	2.791%
7	8.705	8.670	8.745	BB	592295	6108609	49.31%	2.500%
8	8.824	8.777	8.907	BB	739395	7297795	58.91%	2.986%
9	9.126	9.089	9.175	BB	724369	7268480	58.67%	2.974%
10	9.919	9.875	9.994	BB	727027	7289135	58.84%	2.983%
11	10.319	10.269	10.349	PV	573764	6205360	50.09%	2.539%
12	11.334	11.234	11.374	BV	639957	6993605	56.46%	2.862%
13	11.411	11.374	11.470	VBA	648491	6920655	55.87%	2.832%
14	11.770	11.719	11.819	VV	562527	6155293	49.69%	2.519%
15	12.097	12.055	12.145	BV	498014	5212368	42.08%	2.133%
16	13.085	12.964	13.124	PV	531362	6258739	50.52%	2.561%
17	13.166	13.124	13.230	VBA	612724	6717530	54.23%	2.749%
18	13.468	13.392	13.497	BV	587894	6732487	54.35%	2.755%
19	13.532	13.497	13.597	VB	355385	4104605	33.13%	1.680%
20	13.699	13.659	13.749	PB	479507	5947394	48.01%	2.434%
21	14.287	14.250	14.359	VB	492489	5861337	47.32%	2.399%
22	15.354	15.302	15.371	BV	492364	6662052	53.78%	2.726%
23	15.396	15.371	15.462	VB	1006192	12387749	100.00%	5.069%
24	16.419	16.322	16.464	BV	441309	5669569	45.77%	2.320%
25	16.918	16.829	16.935	BV	460474	6812490	54.99%	2.788%
26	16.954	16.935	17.007	VB	572929	6750614	54.49%	2.762%
27	17.304	17.250	17.334	BV	520408	6766318	54.62%	2.769%
28	17.370	17.334	17.429	VV	426548	5632197	45.47%	2.305%
29	18.260	18.179	18.299	PV	439919	5739869	46.34%	2.349%
30	18.682	18.625	18.698	VV	508591	8163481	65.90%	3.341%
31	18.720	18.698	18.790	VBA	567256	7146516	57.69%	2.925%
32	18.944	18.790	19.004	BV	516428	7375319	59.54%	3.018%
33	19.094	19.004	19.135	VV	426999	5814804	46.94%	2.380%
34	19.880	19.580	19.935	BV	439979	6414105	51.78%	2.625%
35	20.620	20.571	20.660	BV	430517	6405456	51.71%	2.621%
36	21.407	21.287	21.478	VV	376363	7108646	57.38%	2.909%

37 22.405 22.301 22.500 BBA 271520 6875317 55.50% 2.814%
rteres
Sum of corrected areas: 2443

Aliphatic EPH 062725.M Fri Jul 18 02:37:10 2025

Instrument :

FID_E

ClientSampleId :

PB168876BS

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 07/18/2025

Supervised By :mohammad ahmed 07/21/2025