

rteres

Instrument :

FID_E

ClientSampleId :

PB168898BS

Area Percent Report

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 07/18/2025

Supervised By :mohammad ahmed 07/21/2025

Data Path : Z:\pestpcbsrv\HPCHEM1\FID_E\Data\FE07172
Data File : FE054909.D
Signal(s) : FID1B.ch
Acq On : 17 Jul 2025 18:53
Sample : PB168898BS
Misc :
ALS Vial : 26 Sample Multiplier: 1

Integration File: autoint1.e

Method : Z:\pestpcbsrv\HPCHEM1\FID_E\methods\Aliphatic EPH 062725.M
Title : GC Extractables

Signal : FID1B.ch

peak #	R.T. min	Start min	End min	PK TY	peak height	peak area	peak % max.	% of total
1	3.433	3.379	3.479	BB	417599	4011690	40.93%	2.083%
2	4.688	4.632	4.708	BV	458019	4338264	44.26%	2.253%
3	4.729	4.708	4.780	VV	504169	4825550	49.23%	2.506%
4	6.405	6.339	6.480	BB	586293	5383563	54.92%	2.796%
5	6.861	6.805	6.904	BB	473732	4726301	48.22%	2.454%
6	7.506	7.454	7.580	BB	530404	5116702	52.20%	2.657%
7	8.699	8.635	8.765	BB	486363	4928419	50.28%	2.559%
8	8.817	8.769	8.900	BB	576871	5595012	57.08%	2.906%
9	9.118	9.085	9.187	VB	572687	5594496	57.07%	2.905%
10	9.911	9.794	9.969	BB	543754	5612114	57.25%	2.914%
11	10.314	10.272	10.344	BV	465338	5029310	51.31%	2.612%
12	11.326	11.212	11.367	BV	492075	5376573	54.85%	2.792%
13	11.401	11.367	11.450	PV	522179	5356922	54.65%	2.782%
14	11.762	11.722	11.805	BB	438724	4983753	50.84%	2.588%
15	12.091	12.027	12.137	BV	542391	5883848	60.02%	3.056%
16	13.078	12.985	13.115	BV	432538	5066493	51.69%	2.631%
17	13.155	13.115	13.185	PV	455289	5154695	52.59%	2.677%
18	13.457	13.384	13.487	BV	478926	5187615	52.92%	2.694%
19	13.526	13.487	13.589	VB	397992	4623405	47.17%	2.401%
20	13.692	13.592	13.760	BB	416541	4831083	49.28%	2.509%
21	14.280	14.182	14.350	BB	402000	4757648	48.54%	2.471%
22	15.342	15.272	15.361	BV	413133	5107981	52.11%	2.653%
23	15.386	15.361	15.454	VB	839994	9802479	100.00%	5.091%
24	16.411	16.330	16.485	BB	359666	4603251	46.96%	2.391%
25	16.905	16.819	16.922	BV	352614	5197770	53.03%	2.699%
26	16.940	16.922	17.014	VB	443355	5172299	52.77%	2.686%
27	17.290	17.250	17.324	BV	406920	5185386	52.90%	2.693%
28	17.361	17.324	17.422	VV	354287	4553038	46.45%	2.364%
29	18.253	18.172	18.292	PV	341752	4637105	47.31%	2.408%
30	18.667	18.467	18.684	PV	403505	6150553	62.74%	3.194%
31	18.704	18.684	18.790	VBA	423523	5503102	56.14%	2.858%
32	18.927	18.842	18.999	BV	388717	5566093	56.78%	2.891%
33	19.085	18.999	19.125	PV	325605	4653889	47.48%	2.417%
34	19.871	19.580	19.934	BV	325622	4932201	50.32%	2.561%
35	20.613	20.570	20.652	BV	329673	4803562	49.00%	2.495%
36	21.395	21.185	21.582	BB	265013	5273068	53.79%	2.738%

37 22.387 22.300 22.500 BBA 196658 5034938 51.36% 2.615%
rteres
Sum of corrected areas: 1925

Aliphatic EPH 062725.M Fri Jul 18 01:35:50 2025

Instrument :

FID_E

ClientSampleId :

PB168898BS

Manual IntegrationsAPPROVED

Reviewed By :Yogesh Patel 07/18/2025

Supervised By :mohammad ahmed 07/21/2025